(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
26 August 2004 (26.08.2004)

PCT

(10) International Publication Number
WO 2004/072230 A2

(51) International Patent Classification[7]: C12N

(21) International Application Number:
PCT/US2004/002012

(22) International Filing Date: 10 February 2004 (10.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/361,004 10 February 2003 (10.02.2003) US

(71) Applicant *(for all designated States except US)*: **CLEARANT, INC.** [US/US]; 11111 Santa Monica Boulevard, Suite 650, Los Angeles, CA 90025 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **McKENNEY, Keith** [US/US]; 11918 Glen Mill Road, Potomac, MD 20854 (US). **GILLMEISTER, Lidja** [US/US]; 9419 Lee Highway, Fairfax, VA 22031 (US). **MARLOWE, Kristina** [US/US]; 9419 Lee Highway, Fairfax, VA 22031 (US). **ARMISTEAD, David** [US/US]; 1810 North Wayne Street, Arlington, VA 22201 (US).

(74) Agents: **McPHAIL, Donald, R.** et al.; Fleshner & Kim, LLP, P.O. Box 221200, Chantilly, VA 20153-1200 (US).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM; HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: REAL-TIME POLYMERASE CHAIN REACTION USING LARGE TARGET AMPLICONS

(57) Abstract: The present invention relates to methods for analyzing a target nucleic acid sequence in a biological material. More particularly, the present invention relates to methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target sequence.

WO 2004/072230 A2

REAL-TIME POLYMERASE CHAIN REACTION USING LARGE TARGET AMPLICONS

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to methods for analyzing a target nucleic acid sequence in a biological material. More particularly, the present invention relates to methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target sequence.

2. Background of the Related Art

PCR (polymerase chain reaction) is a method for increasing the concentration of a segment of a target sequence in a mixture of nucleic acid sequences without cloning or purification. (*See* K. B. Mullis *et al.*, U.S. Pat. Nos. 4,683,195 and 4,683,202).

This process for amplifying the target sequence consists of introducing two oligonucleotide primers to the sample containing the desired target nucleic acid sequence, followed by thermal cycling in the presence of a DNA polymerase. The two primers are complementary to their respective strands of the target sequence. To effect amplification, the genetic material within the sample is first denatured and then the primers are annealed to their complementary sequences within the target molecule. Following annealing, the primers are extended with a polymerase so as to form a new pair of complementary strands.

The steps of denaturation, annealing and extension can be repeated many times (*i.e.*, denaturation, annealing and extension constitute one "cycle"; there can be numerous

"cycles") to obtain a high concentration of an amplified segment of the desired target sequence. The length of the amplified segment of the desired target sequence is determined by the relative positions of the primers with respect to each other, and therefore, this length is a controllable parameter. Because the desired amplified segments of the target sequence become the predominant sequences (in terms of concentration) in the mixture, they are said to be "PCR amplified".

With PCR, it is possible to amplify a single copy of a specific target sequence in genomic DNA to a level detectable by several different methodologies (*e.g.*, hybridization with a labelled probe; incorporation of biotinylated primers followed by avidin-enzyme conjugate detection; incorporation of ^{32}P-labelled deoxynucleotide triphosphates, *e.g.*, dCTP or dATP, into the amplified segment). In addition to genomic DNA, any oligonucleotide sequence can be amplified with the appropriate set of primer molecules.

End-point PCR is a polynucleotide amplification protocol. The amplification factor that is observed is related to the number (n) of cycles that have occurred and the efficiency of replication at each cycle (E), which, in turn, is a function of the priming and extension efficiencies during each cycle. Amplification has been observed to follow the form E^n, until high concentrations of the PCR product have been made.

At these high product concentrations, the efficiency of replication tends to drop significantly. It has been suggested that this is probably due to the displacement of the primers by the longer complementary strands of the PCR product. At concentrations in excess of 10^{-8} M, the rate of the two complementary PCR amplified product strands finding each other during the priming reactions becomes sufficiently fast that it may occur before or

concomitantly with the extension step of the PCR process. This ultimately leads to a reduced priming efficiency, and, consequently, a reduced cycle efficiency. Continued cycles of PCR lead to declining increases of PCR product molecules, until the PCR product eventually reaches a plateau concentration (the "end-point"), usually a concentration of approximately 10^{-8} M. As a typical reaction volume is about 100 microliters, this corresponds to a yield of about $6x10^{11}$ double stranded product molecules.

Real-time PCR is also a polynucleotide amplification protocol, but PCR product analysis occurs simultaneously with amplification of the target sequence. Detecting agents, such as DNA dyes or fluorescent probes, can be added to the PCR mixture before amplification and used to analyze PCR products during amplification. Sample analysis occurs concurrently with amplification in the same tube within the same instrument. This combined approach decreases sample handling, saves time, and greatly reduces the risk of product contamination, as there is no need to remove the samples from their closed containers for further analysis. The concept of combining amplification with product analysis has become known as "real-time" or "quantitative" PCR. (*See, e.g.*, WO/9746707A2, WO/9746712A2 and WO/9746714A1).

Originally, monitoring fluorescence each cycle of PCR involved the use of ethidium bromide. *See* Higuchi *et al.*, "Simultaneous amplification and detection of specific DNA sequences," *Bio/Technology* **10**:413-417 (1992); Higuchi *et al.*, "Kinetic PCR analysis: real time monitoring of DNA amplification reactions," *Bio/Technology* **11**:1026-1030 (1993). In that system, fluorescence was measured once per cycle as a relative measure of product concentration. Ethidium bromide detects double stranded DNA; thus, if the desired target nucleic acid sequence is present, fluorescence intensity increases with temperature cycling

(otherwise no fluorescence). Furthermore, the cycle number where an increase in fluorescence is first detected increases inversely proportionally to the log of the initial target sequence concentration. Other fluorescent systems have since been developed that are capable of providing additional data concerning the nucleic acid concentration.

A significant limitation in the use of real-time PCR is the length of the target nucleic acid sequence. That is, as the target amplicon length increase, the efficiency of real-time PCR decreases. Practical limits for target amplicon length in most commercially available PCR systems are generally less than 500 bp, usually in the range of 80-200 bp. Larger amplicons have been obtained by some, but to date there remains a need for routinely amplifying large target sequences in real time PCR.

Each of the above references is incorporated by reference herein where appropriate for teachings of additional or alternative details, features and/or technical background.

SUMMARY OF THE INVENTION

An object of the invention is to solve at least the problems and/or disadvantages of the relevant art, and to provide at least the advantages described hereinafter.

Accordingly, it is an object of the present invention to provide methods for analyzing a target nucleic acid sequence by real time polymerase chain reaction using nucleic acid primers that are separated by at least about 750 nucleic acid residues in the target sequence. Other objects, features and advantages of the present invention will be set forth in the detailed description of preferred embodiments that follows, and in part will be apparent from the description or may be learned by practice of the invention. These objects and

advantages of the invention will be realized and attained by the compositions and methods particularly pointed out in the written description and claims hereof.

In accordance with these and other objects, a first embodiment of the present invention is directed to a method for analyzing a target nucleic acid sequence, comprising: (i) adding to a biological material an effective amount of at least two nucleic acid primers that hybridize under stringent conditions to predetermined sequences of the target sequence and are separated by at least about 750 nucleic acid residues, (ii) amplifying the target nucleic acid sequence by a polymerase chain reaction which comprises adding a polymerase to the biological material and primers to form an amplification mixture and thermally cycling the amplification mixture between at least one denaturation temperature and at least one elongation temperature, and (iii) detecting and quantifying said target nucleic acid sequence. According to this embodiment of the present invention, during the thermal cycling, the elongation temperature is not more than about 70°C and the denaturation temperature is not more than about 95°C, and the amplification mixture is maintained at the denaturation temperature for a period of not more than about 30 seconds and at the elongation temperature for a period of not less than about 1 minute.

Additional advantages, objects, and features of the invention will be set forth in part in the description which follows and in part will become apparent to those having ordinary skill in the art upon examination of the following or may be learned from practice of the invention. The objects and advantages of the invention may be realized and attained as particularly pointed out in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be described in detail with reference to the following drawings in which like reference numerals refer to like elements wherein:

Figure 1 shows forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of human Parvovirus B19 (SEQ ID NO.: 1).

Figure 2 shows forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of hepatitis B virus (SEQ ID NO.: 2).

Figure 3 shows forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of porcine parvovirus (SEQ ID NO.: 3).

Figure 4 shows forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of Sindbis virus (SEQ ID NO.: 4).

Figure 5 shows forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of West Nile virus (SEQ ID NO.: 5).

Figures 6A and 6B show forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of the 16S ribosomal RNA gene (SEQ ID NO.: 6) and the 23S ribosomal RNA gene of *Escherichia coli* (SEQ ID NO.: 7).

Figures 7A and 7B show forward and reverse primers useful in preparing large target amplicons based on the genomic nucleic acid sequence of the 18S ribosomal RNA gene (SEQ ID NO.: 8) and the 25S ribosomal RNA gene of yeast (*S. cerevisiae*) (SEQ ID NO.: 9).

Figure 8 shows forward and reverse primers useful in preparing large target amplicons based on the nucleic acid sequence of human mitochondrial DNA (SEQ ID NO.: 10).

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

A. *Definitions*

Unless defined otherwise, all technical and scientific terms used herein are intended to have the same meaning as is commonly understood by one of ordinary skill in the relevant art.

As used herein, the singular forms "a," "an," and "the" include the plural reference unless the context clearly dictates otherwise.

As used herein, the term "biological material" is intended to mean any substance derived or obtained from a living organism. Illustrative examples of biological materials include, but are not limited to, the following: cells; tissues; blood or blood components; proteins, including recombinant and transgenic proteins, and proetinaceous materials; enzymes, including digestive enzymes, such as trypsin, chymotrypsin, alpha-galactosidase and iduronodate-2-sulfatase; immunoglobulins, including mono and polyimmunoglobulins; botanicals; food and the like. Preferred examples of biological materials include, but are not limited to, the following: ligaments; tendons; nerves; bone, including demineralized bone matrix, grafts, joints, femurs, femoral heads, etc.; teeth; skin grafts; bone marrow, including bone marrow cell suspensions, whole or processed; heart valves; cartilage; corneas; arteries and veins; organs, including organs for transplantation, such as hearts, livers, lungs, kidneys, intestines, pancreas, limbs and digits; lipids; carbohydrates; collagen, including native,

afibrillar, atelomeric, soluble and insoluble, recombinant and transgenic, both native sequence and modified; chitin and its derivatives, including NO-carboxy chitosan (NOCC); stem cells, islet of Langerhans cells and other cells for transplantation, including genetically altered cells; red blood cells; white blood cells, including monocytes; and platelets. Additional examples of biological materials include forensic samples, human or animal remains, stomach contents, mummified remains of a once-living organism, fossilized remains, a product of manufacture containing or previously in contact with a biological material, and fomites.

B. Particularly Preferred Embodiments

A first particular preferred embodiment of the present invention is directed to a method for analyzing a target nucleic acid sequence in a biological material, comprising:

(i) adding to a biological material an effective amount of at least two nucleic acid primers, wherein these nucleic acid primers hybridize under stringent conditions to two predetermined nucleic acid sequences of the target nucleic acid sequence that are separated by at least about 750 nucleic acid residues,

(ii) amplifying the target nucleic acid sequence by a polymerase chain reaction which comprises adding a polymerase to the biological material and primers to form an amplification mixture and then thermally cycling the amplification mixture between at least one denaturation temperature and at least one elongation temperature; and

(iii) detecting and quantifying said target nucleic acid sequence.

According to this preferred embodiment of the present invention, the elongation temperature is not more than about 70°C and the denaturation temperature is not more than about 95°C. Additionally, according to this preferred embodiment of the present invention, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 30 seconds and at the elongation temperature for a period of not less than about 1 minute.

According to preferred embodiments of the present invention, the target nucleic acid sequence preferably contains between about 500 and about 50,000 nucleic acid residues. More preferably, the target nucleic acid sequence contains between about 1000 and about 10,000 nucleic acid residues, even more preferably between about 2000 and about 5000 nucleic acid residues and most preferably between about 2500 and about 5000 nucleic acid residues.

The nucleic acid primers are each selected based on their ability to generate the desired target nucleic acid sequence under the appropriate PCR conditions. Accordingly, each primer must be specific for the desired target nucleic acid sequence. Similarly, each primer must be selected so that they are not self-complementary or complementary to another primer (or probe, if present).

According to preferred embodiments of the present invention, the sequences on the target sequence that correspond to the two primer sequences are separated by at least 750 nucleic acid residues. Preferably, the sequences which correspond to the primers are separated by at least about 1000 nucleic acid residues, more preferably at least about 2000 nucleic acid residues, even more preferably at least about 3000 nucleic acid residues, still

even more preferably at least about 4000 nucleic acid residues and most preferably at least about 5000 nucleic acid residues. According to an alternative embodiment of the present invention, the sequences on the target sequence that correspond to the two primer sequences are separated by only about 500 nucleic acid residues.

The polymerase chain reaction employed in the inventive methods is performed according to the methods and techniques known to those skilled in the art, *i.e.*, a nucleic acid primer pair is added to the biological material containing the sequence of interest to form an amplification mixture that is then thermally cycled for a sufficient period of time to amplify the desired sequence. The thermal cycling generally comprises cycling the amplification mixture between at least one denaturation temperature and at least one elongation temperature. Preferably, the thermal cycling comprises cycling the amplification mixture between at least one denaturation temperature, at least one annealing temperature and at least one elongation temperature.

Specific temperatures for use in denaturation, elongation and/or annealing may be determined empirically by one skilled in the art based, for example, on the specific target sequence being amplified and the particular probes employed. Likewise, the specific time(s) that the amplification mixture is maintained at the various denaturation, elongation and/or annealing temperature(s) may be determined empirically by one skilled in the art based on similar considerations.

According to particularly preferred embodiments of the present invention, the elongation temperature selected for use in the PCR of the inventive methods is not more than about 70°C. More preferably, the elongation temperature selected is between about

60°C and about 69°C, and even more preferably between about 65°C and about 69°C. Most preferably, the elongation temperature employed in the PCR of the inventive methods is about 68°C.

According to additional preferred embodiments of the present invention, the denaturation temperature selected for use in the PCR of the inventive methods is not more than about 95°C. More preferably, the denaturation temperature selected is between about 90°C and about 95°C, and even more preferably between about 93°C and about 95°C. Most preferably, the denaturation temperature employed in the PCR of the inventive methods is about 94°C.

According to other preferred embodiments of the present invention, when the thermal cycling includes an annealing temperature, the annealing temperature selected is about 5-10°C below the melting temperature of the primers being employed. Preferably, the annealing temperature selected is not more than about 65°C. More preferably, the annealing temperature selected is between about 57°C and about 63°C, and even more preferably between about 58°C and about 62°C. Most preferably, the annealing temperature employed in the PCR of the inventive methods is about 60°C.

According to additional preferred embodiments of the present invention, during each thermal cycle, the amplification mixture is maintained at the elongation temperature for a period of not less than about 1 minute. More preferably, during each thermal cycle, the amplification mixture is maintained at the elongation temperature for a period of not less

than about 2 minutes, and even more preferably for a period of not less than about 3 minutes.

According to particularly preferred embodiments of the present invention, the amplification mixture is maintained at the elongation temperature for a period of not less than about 2 minutes during the first cycle of the thermal cycling, and then the period during which said amplification mixture is maintained at the elongation temperature is increased by a period of about 5 seconds for each successive thermal cycle. Thus, for example, according to such embodiments of the present invention, if the amplification mixture was maintained at the elongation temperature for a period of 2 minutes during the first cycle of the thermal cycling, it would be maintained at the elongation temperature for a period of 2 minutes, 5 seconds for the second cycle, 2 minutes, 10 seconds for the third cycle, 2 minutes, 15 seconds for the fourth cycle, and so on until the thermal cycling is completed.

According to additional preferred embodiments of the present invention, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 1 minute. More preferably, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 45 seconds, and even more preferably for a period of not more than about 30 seconds, and still even more preferably for a period of not more than about 20 seconds. Most preferably, during each thermal cycle, the amplification mixture is maintained at the denaturation temperature for a period of not more than about 15 seconds, such as a period of about 10 seconds.

According to still other preferred embodiments of the present invention, when the thermal cycling includes an annealing temperature, the amplification mixture is maintained at the annealing temperature for a period of not less than about 30 seconds. More preferably, according to such embodiments, during each thermal cycle, the amplification mixture is maintained at the annealing temperature for a period between 30 seconds and 2 minutes, and even more preferably for a period of not less than about 45 seconds. Most preferably, during each thermal cycle, the amplification mixture is maintained at the annealing temperature for a period of about 1 minute.

The number of thermal cycles employed in the PCR of the inventive methods may be determined empirically by one skilled in the art depending, for example, on the suspected concentration of the target sequence of interest in the biological material being tested. According to preferred embodiments of the present invention, the amplification mixture is subjected to at least about 30 cycles of thermal cycling, and even more preferably at least about 40 cycles. Most preferably, the amplification mixture is subjected to at least about 50 cycles of thermal cycling.

The polymerase employed in the PCR of the inventive methods may be any of the suitable polymerases known to those skilled in the art. Preferably, the polymerase employed is a thermostable polymerase, *i.e.* a polymerase that is not adversely affected by the higher temperatures involved in thermal cycling. More preferably, the polymerase may be a *Taq* polymerase, or a suitable derivative thereof and/or a proof-reading polymerase.

According to particularly preferred embodiments of the present invention, at least two polymerases are employed in the PCR of the inventive methods. Preferably, at least one

of the polymerases is a *Taq* polymerase or a suitable derivative thereof, such as TaqMan DNA polymerase (available from Applied BioSystems), and the other polymerase is a proof-reading polymerase, such as ProofStart DNA polymerase (available from Qiagen).

According to certain preferred embodiments of the present invention, the amplification mixture further contains at least one thermostable inorganic pyrophosphatase. Suitable amounts of thermostable inorganic pyrophosphatase may be determined empirically by one skilled in art. Generally, when present, the ratio of thermostable inorganic pyrophosphatase to *Taq* polymerase is at least about 1:20, more preferably at least about 1:10 and even more preferably at least about 1:5.

The remaining parameters employed in the PCR of the inventive methods, such as the primer concentration (generally about 100-500 nM and preferably about 200 nM)), magnesium concentration (generally 1.5-6 mM and preferably about 1.5 mM of magnesium sulfate and/or magnesium chloride), deoxyribonucleotide triphosphates (dNTP) concentration (generally about 0.2-0.4 mM each and preferably about 0.2 mM each), probe concentration (if present, generally about 50-800 nM, and preferably about 100 nM), may each be determined empirically by one skilled in the art using any of the known methods and techniques.

According to certain particularly preferred embodiments of the present invention, the deoxyribonucleotide triphosphates (dNTP) that are employed in the PCR of the inventive methods are selected from the group consisting of C, T, G and A. Preferably, substantially no dUTP is present in the amplification mixture of the inventive methods. According to still

further preferred embodiments, substantially no uracil N-glycosylase is present in the amplification mixture of the inventive methods.

According to certain particularly preferred embodiments of the present invention, the amplification mixture futher comprises at least one buffer solution. Suitable buffer solutions are known and available to those skilled in the art. Particularly preferred buffer solutions include pH modifying buffers, such as buffers containing Tris-HCl, and buffers which maintain salt concentration, particular magnesium concentration, such as buffers containing KCl and/or $(NH_4)_2SO_4$.

After amplification using PCR, the first and second target nucleic acid sequences are detected and quantified. This detecting and quantifying may be conducted using any of the methods and techniques known to those skilled in the art. For example, detecting and quantifying of the first and second nucleic acid sequences may be conducted by adding a suitable detecting agent, such as an intercalating dye, directly to the amplification mixture or by adding a suitable nucleic acid probe to the mixture, preferably either a suitable nucleic acid probe in combination with a detecting agent or a suitable nucleic acid probe having a detectable label covalently or ionically attached thereto or complexed therewith.

Preferably, the target nucleic acid sequence is detected by adding at least one nucleic acid probe to the biological material being tested. Any nucleic acid probe employed in the inventive methods should contain sufficient nucleic acid residues to hybridizes selectively under stringent conditions to a specific desired nucleic acid sequence, *i.e.* suitable probes will generally contain at least 16 nucleic acid residues, and preferably hybridizes selectively under stringent conditions to a specific nucleic acid sequence of the target nucleic acid sequence

that is not the same as the nucleic acid sequence of any of the primers. Suitable nucleic acid probes include, but are not limited to, 5' nuclease probes, hairpin probes, adjacent probes, sunrise probes and scorpion probes.

EXAMPLES

The following examples are illustrative, but not limiting, of the present invention. Other suitable modifications and adaptations are of the variety normally encountered by those skilled in the art and are fully within the spirit and scope of the present invention.

Example 1

Purpose: To demonstrate linear amplification of B19 DNA.

Materials: 1. B19 virus, titer 7.6 x 10^{11} iu/ml from Bayer;

2. SNAP whole blood DNA isolation kit;

3. Forward Primer: Prism 5 (Figure 1) (SEQ ID NO.: 18);

4. Reverse Primer: Prism 6 (Figure 1) (SEQ ID NO.: 20);

5. Probe 3 (Figure 1) (SEQ ID NO.: 19) labeled with FAM at 5' end and TAMRA at 3' end;

6. TaqMan Universal Master Mix, (ABI; cat. no. 4304437);

7. DNASE, RNASE free water;

8. ABI 96 well plate and adhesive cores;

9. ANI 7000.

Procedure: 1. Followed SNAP protocol for extraction of 100 µl B19 sample, eluted in 100 µl TE;

2. Diluted primers to 18 µM with TE;

3. Diluted probe to 5 µM with TE;

4. Prepared the following master mix:

TaqMan Master Mix:	25 µl;
Prism 5 (SEQ ID NO.: 18)	2.5 µl;
Prism 6 (SEQ ID NO.: 20)	2.5 µl;
Taqman Probe	2.5 µl;
Water:	12.54 µl;

5. Added 45 µl of master mix per well;
6. Serially diluted B19 DNA, adding water to the NTC well;
7. Sealed and centrifuged the plate at 2300 rpm for about 30 seconds;
8. Ran PCR program for 50 cycles.

Results: A standard dilution curve was observed for B19 infected plasma, validating primer pair Prism 5 and Prism 6 (SEQ ID NOS.: 18 and 20) with Probe 3 (SEQ ID NO.: 19).

Example 2

Purpose: To examine irradiated and unirradiated samples containing PPV using a 549 bp amplicon.

Materials:
1. PPV (irradiated at 0 kGy, 50 kGy, 65 kGy, 75 kGy or 85 kGy);
2. SNAP Protein Degrader;
3. Cell Lysis Buffer;

4. Tris-HCl;

5. Primers: Prism 11 and Prism 12 (Figure 3) (SEQ ID NOS.: 40 and 42, respectively); and

6. Probe 6 (Figure 3) (SEQ ID NO.: 41).

Procedure: 1. To 100 µl viral sample, added 50 µl tris-HCl buffer, 60 µl protein degrader, and 200 µl cell lysis buffer;

2. Mixed and incubated for 25 minutes (5 minutes at 70°C);

3. Diluted samples to 1/50, 1/500, 1/5000, 1/25000, 1/50000, 1/250000 and 1/500000;

4. Ran PCR for 55 cycles.

Results: Results showed that unirradiated material had regular dilution series curves, irradiated material (50 kGy) behaved differently, dilute material did not amplify showing a reduction in the number of copies of the target sequence.

Example 3

Purpose: To determine effects of gamma irradiation (0 kGy sample, 50 kGy sample, mixture of 0+50kGy sample and 75 kGy sample) on samples containing PPV analyzed by PCR.

Materials: 1. PPV (irradiated at 0 kGy, 50 kGy or 75 kGy);

2. Primers: Prism 11 & Prism 12, Probe 6 (Figure 3) (SEQ ID NOS.: 40, 42 and 41, respectively);

3. Primers: Prism 1 & Prism 2, Probe 1 (Figure 3) (SEQ ID NOS.: 43, 45, and 44, respectively).

Procedure: 1. Diluted samples containing PPV to 1/100, 1/1000, 1-2000, 1/10000, 1/20000, 1/40000 and 1/400000 (0 kGy, 50 kGy, 0+50 kGy and 75 kGy);

2. Ran PCR program for 55 cycles.

Results: Irradiaition to 50 kGy of PPV material reduced amplification of 549 bp amplicon.

Example 4

Purpose: To examine the relative effectiveness of Qiagen and Taqman reagents on samples containing PPV.

Materials: 1. PPV DNA (phenol extracted);

2. Taq PCR Core Kit;

3. ProofStart DNA polymerase;

4. Taqman Universal PCT Master Mix;

5. Prism 1, 2, 11 and 17 (Figure 3) (SEQ ID NOS.: 43, 45, 40, and 47 respectively);

6. Probes 1 and 6 (Figure 3) (SEQ ID NOS.: 44 and 41, respectively);

7. Agarose;

8. TAE;

9. EtBr.

Procedure: 1. Prepared the following four master mixes:

a. Qiagen:	1	2
10x buffer:	30 µl	25 µl
dNTP's:	9 µl	7.5 µl
pA:	8.34 µl	6.95 µl
pB:	8.34 µl	6.95 µl
taq:	6 µl	5µl
H_2O:	187.32 µl	156.1 µl
probe:	15 µl	12.5 µl

b. Taqman:	3	4
Master Mix:	150 µl	125 µl
pA:	15 µl	12.5 µl
pB:	15 µl	12.5 µl
probe:	15 µl	12.5 µl
H_2O:	69 µl	57.5 µl

2. Pipetted 44 µl of master mix 1 into row D, wells 1 and 2; row E, wells 1 and 2; and row H, well 1, of a well plate;

3. Pipetted 44 µl of master mix 2 into row D, wells 3 and 4; and row E, wells 3 and 4, of a well plate;

4. Pipetted 44 µl of master mix 3, into row F, wells 1 and 2; row G, wells 1 and 2; and row H, well 3, of a well plate;

5. Pipetted 44 µl of master mix 4 into row F, wells 3 and 4; and row G, wells 3 and 4, of a well plate;

6. Added 1 µl of ProofStart taq to row D, wells 1-4 and row F, wells 1-4 and added 1 µl water to remaining wells;

7. Added 5 µl water to row H, wells 1 and 3 and added 5 µl PPV DNA to remaining wells;

8. Ran PCR for 40 cycles.

Results: Qiaqen Master with ProofStart taq produced functional large amplicons in realtime PCR with PPV DNA more efficiently than the TaqMan master mix.

Example 5

Purpose: To examine the effects of proofstart in amplifying large amplicons and to examine the effects of 50 kGy irradiation on PPV.

Materials:

1. PPV DNA (irradiated to 0 kGy and 50 kGy);
2. Taq PCR Core Kit;
3. Proofstart DNA polymerase;
4. Prism 11, 16 and 17 (Figure 3) (SEQ ID NOS.: 40, 46 and 47, respectively);
5. Agarose;
6. Ethidium Bromide;
7. TAE buffer.

Procedure: 1. Set up PCR master mix as follows:

10x buffer: 50 µl

dNTP's: 15 µl

pA: 13.9 µl (primer 11)

taq: 10 µl

water: 347.2 µl

2. Placed aliquots into PCR tubes;

3. Added either primer 16 or 17 to PCR tubes;

4. Added PPV DNA (diluted to 1:100) to each PCR tube:

5. Added 10 µl proofstart to half of the samples (2 at 0 kGy and 2 at 50 kGy);

6. Performed PCR (about 55 cycles)

7. Poured a 1% gel and ran at 100 V for 20 minutes.

Results: Addition of a proofreading polymerase resulted in improved amplication of longer amplicons. Delay in amplification of target sequence in irradiated samples is proportional to damage done to viral genetic material.

Example 6

Purpose: To examine the effect of TSP concentration on amplification of large target amplicons in gamma irradiated and unirradiated PPV.

Materials: 1. TSP (cat. no. M02965);

2. Qiagen Core kit;

3. ProofStart DNA polymerase;

4. PPV (irradiated to 0 kGy or 50 kGy).

Procedure: 1. Prepared a master mix (standard PCR set-up) for each (TSP Taq 1:20, 1:10, 1:5);

2. Added 43.61 µl of each master mix (TSP titration) to PCR tubes;

3. Added 1.39 µl of primers 16, 17 or 19 (Figure 3) (SEQ ID NOS.: 46, 47, and 49, respectively) to appropriate PCT tubes;

4. Added 5 µl water to the negative control, which contained primer pair 11, 16 (Figure 3) (SEQ ID NOS.: 40 and 46, respectively);

5. Diluted PPV 1:100;

6. Added PPV to PCR tubes;

7. Performed PCR;

8. Poured a 1% gel and ran at 100 V for 20 minutes.

Results: Under these conditions, addition of TSP resulted in increased amplification of target amplicons in both irradiated and unirradiated samples, but irradiation of PPV resulted in decreased amplification of target amplicons.

Example 7

Purpose: To examine the effects of gamma irradiation on amplification of PPV target amplicons of various sizes.

Materials: 1. PPV DNA (irradiated to 0 kGy or 50 kGy);

2. Taq PCR Core Kit;

3. ProofStart DNA Polymerase;

4. Prism 11, 16, 17, 18 and 19 (Figure 3) (SEQ ID NOS.: 40, 46, 47, 48, and 49, respectively);

5. Agarose;

6. TAE;

7. Ethidium Bromide.

Procedure: 1. Prepared PCR Master Mix as follows:

10x Buffer	5 µl
dNTPs	1.5 µl
pA	1.39 µl
pB	1.39 µl
taq	1 µl
water	33.72 µl
PPV	5 µl.

2. Alliquoted samples into PCR tubes;

3. Ran PCR;

4. Poured a 1% agarose gel and ran at 120 V for about 1.5 hours.

Results: Irradiation to 50 kGy resulted in decreased amplification of larger target amplicons.

Example 8

Purpose: To examine PCR sensitivity and determine log reduction of PPV in samples irradiated to 50 kGy and having a starting concentration of $2.5x10^7$ gEq.

Materials:

1. Standard PCR reagents (Qiacen Core Kit, TSP, Proofstart, etc.);
2. Primers 11 and 17 (Figure 3) (SEQ ID NOS.: 40 and 47, respectively);
3. PPV extract.

Procedure:

1. Prepared master mix with primers 11 and 17;
2. Performed a 10 fold dilution series from 10^7 to 10^0 of PPV extract;
3. Pipetted 45 µl of master mix into PCR tubes;
4. Pipetted 5 µl of each PPV dilution into appropriated PCR tubes;
5. Added 5 µl water to control;
6. Ran PCR;
7. Ran samples in 1% agarose at 100V for about 47 minutes.

Results: Irradiation of sample to 50 kGy resulted in decreased amplification of target amplicon across all concentration ranges.

Example 9

Purpose: To examine PCR sensitivity and determine log reduction of PPV irradiated to 50 kGy and having a starting concentration of $2.5x10^7$ gEq.

Materials:

1. TSP;
2. Standard PCR kit (Qiacen with ProofStart Polymerase);
3. Primers 11 and 19 (Figure 3) (SEQ ID NOS.: 40 and 49, respectively);
4. PPV Extract (Irradiated to 0 kGy and 50 kGy).

Procedure:

1. Prepared master mix with primers 11 and 19 (SEQ ID NOS.: 40 and 49, respectively);
2. Performed a 10 fold dilution series from 10^7 to 10^0 of PPV extract;
3. Pipetted 45 µl of master mix into PCR tubes;
4. Pipetted 5 µl of each PPV dilution into appropriate PCR tubes;
5. Added 5 µl water to control;
6. Ran PCR as follows: 95°C for 2 minutes (1 cycles)
   94°C for 10 seconds (40 cycles)
   60°C for 1 minute (40 cycles)
   68°C for 2 minutes (40 cycles);
7. Cooled to 4°C;

8. Ran samples on 1% agarose gel in 1x TAE and 5 µl/100 ml ethidium bromide at 100 V for 52 minutes (5 µl on gel).

Results: Irradiation to 50 kGy resulted in decreased amplification of target amplicon across all concentration ranges. For unirradiated samples, relative band strength of observed target amplicon decreased with decreasing concentration.

Example 10

Purpose: Primer validation for B19 using probe 7 (SEQ ID NO.: 12) and various primers.

Materials:

1. B19 IGIV Paste (irradiated to 0 kGY or 50 kGy);
2. EXB;
3. Proteinase;
4. yeast tRNA
5. phenol chloroform isoamyl alcohol;
6. 3M NaAc;
7. isopropanol;
8. 70% EtOH;
9. TE buffer;
10. Prisms 5, 6, 20, 21, 22, 23, 24, 25, 26 (Figure 1) (SEQ ID NOS.: 18, 20, 11, 13, 14, 15, 16, 17, and 21, respectively);
11. Qiagen reagents;
12. Ampligold Taq;

13. ProofStart Polymerase;

14. Agarose;

15. TAE;

16. Ethidium Bromide.

Procedure: 1. Prepared a Master Mix as follows:

Buffer	5 µl
DNTP	1.5 µl
Taq	1 µl
DNA	5 µl
water	34.72 µl

2. Pipetted Master Mix into PCR tubes;

3. Added the following primer pairs to appropriate PCR tubes: 20&21 (SEQ ID NOS.: 11 and 13, respectively); 20&22 (SEQ ID NOS.: 11 and 14, respectively); 20&23 (SEQ ID NOS.: 11 and 15, respectively); 20&24 (SEQ ID NOS.: 11 and 16, respectively); 20&25 (SEQ ID NOS.: 11 and 17, respectively); 20&6 (SEQ ID NOS.: 11 and 20, respectively); 20&26 (SEQ ID NOS.: 11 and 21, respectively); 5&6 (SEQ ID NOS.: 18 and 20, respectively);

4. Ran PCR;

5. ran 1% gel for about 1 hour.

Results: All tested primers yielded desired target amplicons.

Example 11

Purpose: Use of PCR multiplexing with target amplicons of about 112 bp and about 2.4 kbp for B19 virus in samples irradiated to 0 kGy or 50 kGy.

Materials:

1. TSP thermostable inorganic pyrophosphatase
2. Standard PCR reagents;
3. B19 viral extract (irradiated to 0 kGy and 50 kGy);
4. Prisms 5, 6, 20 and 25 (Figure 1) (SEQ ID NOS.: 18, 20, 11 and 17, respectively);
5. Taq;
6. ProofStart Polymerase.

Procedure:

1. Prepared standard PCR set-up with 3x master mixes, for each primer set (primer sets: 5&6 (SEQ ID NOS.: 18 and 20, respectively); 20&25 (SEQ ID NOS.: 11 and 17, respectively); 5&6 (SEQ ID NOS.: 18 and 20, respectively); and 20&25 (SEQ ID NOS.: 11 and 17, respectively));
2. Prepared appropriate PCR tubes containing the following primer pairs: (5, 6) 0 kGy; (5, 6) 50 kGy; (20, 25) 0 kGy; (20, 25) 50 kGy; (5, 6) & (20, 25), 0 kGy; and (5, 6) and (20, 25), 50 kGy;
3. Added 5 µl B19 to PCR tubes containing 45 µl of appropriate master mix;
4. Added 5 µl water to control;
5. Ran PCR.

6. Ran samples on 1% aragose gel at 100 V for about 17 minutes.

Results: PCR multiplexing is effective for mixtures containing large target amplicons and small target amplicons. Irradiation to 50 kGy resulted in decreased amplification of the large target amplicon relative to the small target amplicon.

Example 12

Purpose: Irradiated and unirradiated samples containing B19 viral material were examined using real time PCR.

Materials:

1. B19 viral material (irradiated to 0 kGy and 50 kGy);
2. Prism pairs (20, 21) (SEQ ID NOS.: 11 and 13, respectively) and (20, 26) (SEQ ID NOS.: 11 and 21) (Figure 1);
3. Qiagen PCR reagents;
4. Qiagen ProofStart;
5. Agarose;
6. TAE (1x);
7. sample loading buffer (SLB).

Procedure:

1. Prepared standard samples containing primer pairs with 10^{11} to 10^{1} dilution series;
2. Ran PCR (40 cycles);
3. Ran gel on 1% agarose (8 µl PCR product, 1 µl SLB) at 100 V for about 20 minutes.

Results: Irradiation to 50 kGy resulted in decreased amplification of large target amplicon. Unirradiated samples exhibited a regular dilution pattern.

Example 13

Purpose: To investigate the effect of gamma irradiation on samples containing HBV and irradiated to 50 kGy.

Materials:

1. HBV (irradiated to 0 kGy and 50 kGy);
2. Taq PCR Core Kit;
3. ProofStart DNA polymerase;
4. Prisms 34, 9, 10, 15, 29, 30, 31, 36 and 37 (Figure 2) SEQ ID NOS.: 31, 22, 24, 25, 27, 32, 34, 28, and 29, respectively);
5. Agarose;
6. TAE Buffer;
7. ethidium bromide.

Procedure:

1. Prepared PCR master mix as follows:

10x PCR buffer	5 µl
dNTPs	1.39 µl
primers	1.39 µl
taq	1 µl
ProofStart	1 µl
water	33.22 µl

TSP 0.5 µl

2. Aliquoted 43.61 µl of master mix into PCR tubes.

Appropriate tubes contained the following primer pairs: (3, 4); (9, 10); (9, 15); (9, 29); (9, 30); (9, 31); (36, 37); and (9, 31), for both irradiated and unirradiated samples;

3. Added 5 µl HBV per tube (irradiated or unirradiated);

4. Ran PCR as follows:

50°C for 2 minutes (one cycle)

95°C for 2 minutes (one cycle)

94°C for 10 seconds (40 cycles)

60°C for 1 minute (40 cycles)

68°C for 2 minutes, five seconds (40 cycles);

5. Ran 1% agarose gel (9 µl sample + 1 µl sample buffer) at 100v for about 20 minutes.

Results: Irradiated samples showed no amplification of large target amplicons, indicating degradation of HBV genetic material by irradiation to 50 kGy.

Example 14

Purpose: To investigate the effect of gamma irradiation on samples containing HBV DNA and irradiated to 50 kGy.

Materials:

1. HBV DNA material (irradiated to 0 kGy and 50 kGy);

2. Taq PCR Core Kit (Qiagen, cat. no. 201223);

3. ProofStart Taq Polymerase (Qiagen, cat. no. 20);

4. Prisms 10, 13, 30, 36 and 37 (Figure 2) (SEQ ID NOS.: 24, 26, 32, 28, and 29, respectively);

5. Agarose;

6. TAE Buffer;

7. Ethidium Bromide.

Procedure: 1. Prepared the following master mix:

10x buffer	60 µl
dNTP	18 µl
primer 36 (SEQ ID NO.: 28)	16.68 µl
Taq	12µl
ProofStart	12 µl
water	440.64 µl;

2. Pipetted 46.61 µl of master mix into PCR tubes;

3. Added 1.39 µl of reverse primer (10, 13, 30 or 37) (SEQ ID NOS.: 24, 26, 32, and 29, respectively) and 2 µl HBV DNA (0 kGy and 50 kGy) to appropriate tubes;

4. Ran PCR for 50 cycles;

5. Poured a 1% agarose gel (8 µl PCR product + 1 µl sample buffer) at 100 V for about 20 minutes.

Results: Irradiated samples showed no amplification of large target amplicons, indicating degradation of HBV DNA by irradiation to 50 kGy.

Example 15

Purpose: HBV amplification of nested primer set (about 80 bp, 400 bp and 697 bp) in samples containing ascorbate, including digestion of 0 kGy and 50 kGy samples with exonuclease I prior to PCR amplication.

Materials: 1. HBV DNA (irradiated to 0 kGy and 50 kGy, with and without ascorbate);

2. Primer sets: (9, 10) (SEQ ID NOS.: 22 and 24, respectively); (9, 15) (SEQ ID NOS.: 22 and 25, respectively); and (9, 13) (SEQ ID NOS.: 22 and 26, respectively) (Figure 2);

3. Exonuclease I;

4. Standard PCR reagents.

Procedure: 1. Diluted HBV samples to 1/500, 1/2000 and 1/10000;

2. Digested 1 µl raw HBV extract in 0.25 µl Exonuclease I, 10 µl 10x Exonuclease I buffer and 88.75 µl water at 37°C for 30 minutes, inactivated at 80°C for 20 minutes;

3. Dilutes digested HBV to 1/2000 and 1/10000;

4. Ran 55 cycles PCR.

Results: Irradiated showed no amplification of large target amplicon (697 bp), indicating degradation of HBV DNA by irradiation to 50 kGy.

Example 16

Purpose: To investigate the amount of bacterial and fungal DNA present in pulverized tendon samples.

Materials:

1. E. Coli samples (tendon) – 0 or 50 kGy + stabilizer ($6.65x10^{10}$ CFU/μl);
2. C. Albicans samples (tendon) – 0 or 50 kGy + stabilizer ($3.55x10^{9}$ CFU/μl);
3. Staph. Aureus samples;
4. Control tendon;
5. Dneasey tissue kit (Qiagen, cat. no. 69504);
6. Taq PCR Core Kit (Qiagen, cat. no. 201223);
7. ProofStart Taq Polymerase (Qiagen, cat. no. 202205);
8. Primers: Ribo 7 and 8, and Ribo 10, 11, 12, 13, 14 (Figures 6A and 6B) SEQ D NOS.: 69, 70, 71, 72, and 73, respectively); and Fungi 1, 2, 3, 4, 5, 6, 7, 8 (Figures 7A and 7B) (SEQ ID NOS.: 75, 77, 78, 79, 80, 81, 82, and 83 respectively);
9. Probes: FAM-RIBO

   Fungi Probe (Figure 7A) (SEQ ID NO.: 76) labeled with FAM at 5' end and TAMRA at 3' end;
10. Microcon YM Centrifugal Filter Unit;

Procedure:

1. Using 0.05 tendon samples for E. coli and C. albicans, followed the Qiagen extraction profile;
2. Prepared the following master mixes:

	Mix 1	Mix 2
10x buffer	150 µl	85 µl
dNTPs	45 µl	25.5 µl
Ribo 7	41.7 µl	----
Fungi 1 (SEQ ID NO. 75)	----	23.65 µl
Taq	30 µl	17 µl
ProofStart	30 µl	17 µl
Water	936.6 µl	530.74 µl
FAM-RIBO	75 µl	----
Fungi Probe	----	42.5 µl

3. Filtered master mixes using Microcon filter units for 30 minutes at 100x g;

4. Pipetted 43.6 µl of Mix 1 into: rows A-D, columns 1-6; rows A-C, column 9; and row E, column 12;

5. Pipetted 43.6 µl of Mix 2 into: rows E-F, columns 1-7 and row H, column 12;

6. Pipetted 1.39 µl of reverse primer into appropriate well;

7. Pipetted 5 µl DNA into appropriate wells;

8. Ran PCR.

Results: Irradiation with 50 kGy resulted in decreased amplification of large target amplicons, indicating degradation of the pathogen genetic material caused by irradiation.

Example 17

Purpose: To show functionality of E. coli primers for RT-PCR using large target amplicons.

Materials:

1. E. coli prepared from overnight culture;
2. Dneasy Tissue Kit (Qiagen, cat. no. 96504);
3. Taq PCR Core Kit (Qiagen, cat. no. 201223)
4. ProofStart DNA polymerase (Qiagen, cat. no. 202205);
5. Microcon YM-100 Centrifugal Filter Unit (cat. no. 42413);
6. Primers: Ribo 1-6 (SEQ ID NOS.: 62, 64, 65, 66, 67, and 68, respectively) and Ribo 7-9;
7. Agarose;
8. TAE Buffer;
9. Ethidium Bromide.

Procedure:

1. Pipetted 1 ml of E. coli culture into each of 10 1.5 tubes;
2. Centrifuged all 10 tubes for 5 minutes at maximum speed;
3. Discarded supernatant;
4. Placed 8 tubes in –80°C and used 2 tubes for extraction following the Qiagen protocol;

5. Prepared Master Mix as follows:

10x Buffer	5 µl
dNTPs	1.5 µl
pA	1.39 µl (Ribo 1 (SEQ ID NO.: 62))

or (Ribo 7)

pB	1.39 µl (Ribo 2, 3, 4, 5, or 6) (SEQ ID

NOS.: 64, 65, 66, 67, or 68, respectively) or (Ribo 8 or 9)

Taq	1 µl
ProofStart	1 µl
Water	33.22 µl
TSP	0.5 µl

6. Mixed Master Mix by inversion;

7. Pipetted Master mix into a Microcon Centrifugal Filter Unit and centrifuged for 30 minutes at 100x g;

8. Pipetted 43.61 µl of Master Mix into PCR tubes;

9. Added appropriate reverse primer and DNA or water to create the following primer pairs: (1, 2) + 5 µl DNA; (1, 2) + 1 µl; (1, 3) + 5 µl DNA; (1, 3) + 1 µl DNA; (1, 4) + 5 µl DNA; (1, 4) + 1 µl DNA; (1, 5) + 5 µl DNA; (1, 5) + 1 µl DNA; (1, 6) + 5 µl DNA; (1, 6) + 1 µl DNA; (5, 8) + 5 µl DNA; (7, 8) + 1 µl DNA; (7, 9) + 5 µl DNA; (7, 9) + 1 µl DNA; and (1, 2) + 5 (1, 4) + 5 µl water;

10. Ran PCR;

11. Ran 1 % Agarose gel at 100 V for about 20 min.

Results: All E. coli primers showed amplification of target sequences, regardless of size.

Example 18

Purpose: To investigate the effects of 50 kGy irradiation on samples containing E. coli.

Materials:

1. E. coli spiked tendon (irradiated to 0 kGy and 50 kGy) + $6.65x10^{10}$ CFU/µl;
2. Taq PCR Core Kit (Qiagen, cat. no. 201223);
3. ProofStart Taq Polymerase (Qiagen, cat. no. 202205);
4. Primers: Ribo 7 and 8, and Ribo13, 14 and 15 SEQ ID NOS.: 72, 73, and 74, respectively);
5. Agarose;
6. TAE Buffer;
7. Ethidium Bromide;
8. Microcon Centrifugal Filter Unit.

Procedure:

1. Prepared Master Mix as follows:

10x Buffer	60 µl
dNTP	18 µl
pA (forward)	16.68 µl
Taq	12 µl

ProofStart 12 µl

Water 452.64 µl;

2. Placed in Microcon and centrifuged for 30 minutes at 100x g;

3. Pipetted 47-61 µl master mix into each or 9 PCR tubes;

4. Added 1.39 µl of reverse primer and 1 µl DNA into appropriate tubes;

5. Ran PCR.

6. Ran 1% Agarose gel (8 µl sample + 1 µl sample buffer) at 100 V for about 20 minutes.

Results: Samples irradiated to 50 kGy showed progessive disappearance of bands with increasing amplicon size, indicating degradation of the E. coli genetic material caused by irradiation.

Example 19

Purpose: To show functionality of Mt-DNA primers for RT-PCR using large target amplicons.

Materials:

1. Tendon DNA (irradiated to 0 kGy and 50 kGy);

2. ROX 6 (1/10 dilution) molecular probes;

3. Primers: MITO 1, 2, 3, 4, and 5 (Figure 8) (SEQ ID NOS.: 90, 92, 95, 96, and 97, respectively);

4. MITO Probe 1 (Figure 8) (SEQ ID NO.: 91);

5. Human DNA;

6. Qiagen PCR Reagants;

7. Qiagen ProofStart.

Procedure: 1. Prepared the following mixtures:

Buffer	1.5 µl	
dNTPs		1.5 µl
MITO 1	2.5 µl	
reverse primer		2.5 µl (MITO 2, 3, 4 or 5)
MITO Probe	2.5 µl	
Taq	1 µl	
PS	1 µl	
1/10 ROX	1 µl	
water	28 µl	
DNA	5 µl	

2. Ran 40 PCR;

3. Ran 1% agarose gel (8 µl product + 1 µl sample loading buffer) at 100 V for about one hour.

Results: Mt-DNA primers were functional, regardless of amplicon size.

Example 20

Purpose: Real-time PCR amplification of human DNA (large amplicons).

Materials: 1. 10 ng of human control DNA; Calbiochem, Human Genomic DNA, Cat #HCD01, Lot # D10498;

2. Taq PCR Core Kit;

3. ProofStart DNA Polymerase;

4. Primers and Probes;

5. Agarose;

6. TAE;

7. Ethidium Bromide.

Procedure: 1. Prepared PCR Master Mix as follows:

10x Buffer	5 µl
dNTPs	1.5 µl
Mito 1 (SEQ ID NO. 90)	2.5 µl
Reverse Primer (Mito 5 or 7) (SEQ ID NO. 97 or 99, respectively)	2.5 µl
MitoProbe 1 (SEQ ID NO. 91)	2.5 µl
taq	1 µl
Proof Start	1 µl
water	31 µl
water or DNA	3 µl

2. Ran PCR (50 cycles);

3. Ran 8 µl PCR Products on 1% agarose gel and ran at 100 V for about 20 minutes.

Results: Target sequences greater then 8,000 nucleic acid residues can be successfully amplified with Real-time PCR.

Example 21

Purpose: Real-time PCR on fibular bone rings to detect bacterial contamination in unirradiated bone samples.

Materials:

1. Bacterial extracts from bones;
2. Taq PCR Core Kit (Qiagen, Cat#201223);
3. ProofStart DNA Polymerase (Qiagen, Cat#202205);
4. Primers: Ribo 7 and 10 (SEQ ID NOS. 100 and 69, respectively);
5. Probe: FAM-RIBO (SEQ ID NO. 101);
6. Optically clear plates and seals;

Procedure:

1. Prepared PCR setup as follows:

	Per run	x23
10x Buffer	5 µl	115 µl
dNTPs	1.5 µl	34.5 µl
pA	3.5 µl	80.5 µl

pB	3.5 µl	80.5 µl
Probe	2.5 µl	57.5 µl
taq	0.25 µl	5.75 µl
Proof Start	1 µl	23 µl
water	30.75 µl	707.25 µl

2. Aliquot 48 µl into A4-7, B4-7, C4-7, D4-7, and H11-12;

3. Pipet 2 µl of appropriate DNA into each well

4. Seal plate and run "long" program on the thermocycler (40 cycles).

Results: Of 103 bone samples, 40% were found to be contaminated with bacteria.

Having now fully described this invention, it will be understood to those of ordinary skill in the art that the methods of the present invention can be carried out with a wide and equivalent range of conditions, formulations and other parameters without departing from the scope of the invention or any embodiments thereof.

All patents and publications cited herein are hereby fully incorporated by reference in their entirety. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that such publication is prior art or that the present invention is not entitled to antedate such publication by virtue of prior invention.

The foregoing embodiments and advantages are merely exemplary and are not to be construed as limiting the present invention. The present teaching can be readily applied to other types of apparatuses. The description of the present invention is intended to be

illustrative, and not to limit the scope of the claims. Many alternatives, modifications, and variations will be apparent to those skilled in the art. In the claims, means-plus-function clauses are intended to cover the structures described herein as performing the recited function and not only structural equivalents but also equivalent structures.

WHAT IS CLAIMED IS:

1. A method for analyzing a target nucleic acid sequence in a biological material, said method comprising:

(i) adding to said biological material an effective amount of at least two nucleic acid primers,

wherein said nucleic acid primers hybridize under stringent conditions to predetermined nucleic acid sequences of said target nucleic acid sequence that are separated by at least about 750 nucleic acid residues,

(ii) amplifying said target nucleic acid sequence by polymerase chain reaction, said polymerase chain reaction comprising adding a polymerase to said biological material and primers to form an amplification mixture and thermally cycling said amplification mixture between at least one denaturation temperature and at least one elongation temperature,

wherein said elongation temperature is not more than about 70°C and said denaturation temperature is not more than about 95°C, and further wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 30 seconds and at said elongation temperature for a period of not less than about 1 minute; and

(iii) detecting and quantifying said target nucleic acid sequence.

2. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 1000 nucleic acid residues of said target nucleic acid sequence

3. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 2000 nucleic acid residues of said target nucleic acid sequence

4. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 3000 nucleic acid residues of said target nucleic acid sequence

5. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 4000 nucleic acid residues of said target nucleic acid sequence.

6. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by at least about 5000 nucleic acid residues of said target nucleic acid sequence.

7. The method according to claim 1, wherein said predetermined nucleic acid sequences of said target nucleic acid sequence are separated by only about 500 nucleic acid residues of said target nucleic acid sequence.

8. The method according to claim 1, wherein said step (i) further comprises adding at least one nucleic acid probe to said biological material.

9. The method according to claim 8, wherein said nucleic acid probe is selected from the group consisting of 5' nuclease probes, hairpin probes, adjacent probes, sunrise probes and scorpion probes.

10. The method according to claim 1, wherein said elongation temperature is between about 60°C and about 69°C.

11. The method according to claim 1, wherein said elongation temperature is between about 65°C and about 69°C.

12. The method according to claim 1, wherein said denaturation temperature is between about 90°C and about 95°C.

13. The method according to claim 1, wherein said denaturation temperature is between about 93°C and about 95°C.

14. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 20 seconds.

15. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said denaturation temperature for a period of not more than about 10 seconds.

16. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said elongation temperature for a period of not less than about 2 minutes.

17. The method according to claim 1, wherein during each thermal cycle said amplification mixture is maintained at said elongation temperature for a period of not less than about 3 minutes.

18. The method according to claim 1, wherein the period during which said amplification mixture is maintained at said elongation temperature during each thermal cycle is increased by a period of about 5 seconds for each successive thermal cycle.

19. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 30 cycles.

20. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 40 cycles.

21. The method according to claim 1, wherein said amplification mixture is thermally cycled for at least 50 cycles.

22. The method according to claim 1, wherein said biological material has been subjected to an environment or process that may have altered said target nucleic acid sequence.

23. The method according to claim 1, wherein said polymerase is a *Taq* polymerase.

24. The method according to claim 1, wherein said polymerase is a proof-reading *Taq* polymerase.

25. The method according to claim 1, wherein said amplification mixture further comprises at least one thermostable inorganic pyrophosphatase.

26. The method according to claim 25, wherein the ratio of *Taq* polymerase to thermostable inorganic pyrophosphatase is about 5:1.

CI0042PCTseqlisting.ST25
SEQUENCE LISTING

<110> Clearant, Inc.
McKenney, Keith
Gillmeister, Lidja
Marlowe, Kristina
Armistad, David

<120> Real-Time Polymerase Chain Reaction Using Large Target Amplicons

<130> CI-0042PCT

<150> 10/361,004
<151> 2003-02-10

<160> 101

<170> PatentIn version 3.2

<210> 1
<211> 5594
<212> DNA
<213> B19 virus

<400> 1
ccaaatcaga tgccgccggt cgccgccggt aggcgggact tccggtacaa gatggcggac 60

aattacgtca tttcctgtga cgtcatttcc tgtgacgtca cttccggtgg gcgggacttc 120

cggaattagg gttggctctg ggccagcttg cttggggttg ccttgacact aagacaagcg 180

gcgcgccgct tgtcttagtg gcacgtcaac cccaagcgct ggcccagagc caaccctaat 240

tccggaagtc ccgcccaccg gaagtgacgt cacaggaaat gacgtcacag gaaatgacgt 300

aattgtccgc catcttgtac cggaagtccc gcctaccggc ggcgaccggc ggcatctgat 360

ttggtgtctt cttttaaatt ttagcgggct tttttcccgc cttatgcaaa tgggcagcca 420

ttttaagtgt ttcactataa ttttattggt cagttttgta acggttaaaa tgggcggagc 480

gtaggcgggg actacagtat atatagcacg gcactgccgc agctctttct ttctgggctg 540

ctttttcctg gactttcttg ctgtttttg tgagctaact aacaggtatt tatactactt 600

gttaacatac taacatggag ctatttagag gggtgcttca agtttcttct aatgttctgg 660

actgtgctaa cgataactgg tggtgctctt tactggattt agacacttct gactgggaac 720

cactaactca tactaacaga ctaatggcaa tatacttaag cagtgtggct tctaagcttg 780

actttaccgg ggggccacta gcggggtgct tgtacttttt tcaagtagaa tgtaacaaat 840

ttgaagaagg ctatcatatt catgtggtta ttgggggggcc agggttaaac cccagaaacc 900

tcacagtgtg tgtagagggg ttatttaata atgtacttta tcaccttgta actgaaaatg 960

taaagctaaa atttttgcca ggaatgacta caaaaggcaa atactttaga gatggagagc 1020

agtttataga aaactattta atgaaaaaaa tacctttaaa tgttgtatgg tgtgttacta 1080

atattgatgg atatatagat acctgtattt ctgctacttt tagaagggga gcttgccatg 1140

ccaagaaacc ccgcattacc acagccataa atgacactag tagtgatgct ggggagtcta 1200

gcggcacagg ggcagaggtt gtgccaatta atgggaaggg aactaaggct agcataaagt 1260

ttcaaactat ggtaaactgg ttgtgtgaaa acagagtgtt tacagaggat aagtggaaac 1320

tagttgactt taaccagtac actttactaa gcagtagtca cagtggaagt tttcaaattc 1380
aaagtgcact aaaactagca atttataaag caactaattt agtgcctaca agcacatttc 1440
tattgcatac agactttgag caggttatgt gtattaaaga caataaaatt gttaaattgt 1500
tactttgtca aaactatgac cccctattag tggggcagca tgtgttaaag tggattgata 1560
aaaaatgtgg caagaaaaat acactgtggt tttatgggcc gccaagtaca ggaaaaacaa 1620
acttggcaat ggccattgct aaaagtgttc cagtatatgg catggttaac tggaataatg 1680
aaaactttcc atttaatgat gtagcaggga aaagcttggt ggtctgggat gaaggtatta 1740
ttaagtctac aattgtagaa gctgcaaaag ccattttagg cgggcaaccc accagggtag 1800
atcaaaaaat gcgtggaagt gtagctgtgc ctggagtacc tgtggttata accagcaatg 1860
gtgacattac ttttgttgta agcgggaaca ctacaacaac tgtacatgct aaagccttaa 1920
aagagcgaat ggtaaagtta aactttactg taagatgcag ccctgacatg gggttactaa 1980
cagaggctga tgtacaacag tggcttacat ggtgtaatgc acaaagctgg gaccactatg 2040
aaaactgggc aataaactac acttttgatt tccctggaat taatgcagat gccctccacc 2100
cagacctcca aaccacccca attgtcacag acaccagtat cagcagcagt ggtggtgaaa 2160
gctctgaaga actcagtgaa agcagctttt ttaacctcat caccccaggc gcctggaaca 2220
ctgaaacccc gcgctctagt acgcccatcc ccgggaccag ttcaggagaa tcatttgtcg 2280
gaagctcagt ttcctccgaa gttgtagctg catcgtggga agaagccttc tacacacctt 2340
tggcagacca gtttcgtgaa ctgttagttg gggttgatta tgtgtgggac ggtgtaaggg 2400
gtttacctgt gtgttgtgtg caacatatta acaatagtgg gggaggcttg ggactttgtc 2460
cccattgcat taatgtaggg gcttggtata atggatggaa atttcgagaa tttaccccag 2520
atttggtgcg gtgtagctgc catgtgggag cttctaatcc cttttctgtg ctaacctgca 2580
aaaaatgtgc ttacctgtct ggattgcaaa gctttgtaga ttatgagtaa agaaagtggc 2640
aaatggtggg aaagtgatga taaatttgct aaagctgtgt atcagcaatt tgtggaattt 2700
tatgaaaagg ttactggaac agacttagag cttattcaaa tattaaaaga tcactataat 2760
atttctttag ataatcccct agaaaaccca tcctctctgt ttgacttagt tgctcgtatt 2820
aaaaataacc ttaaaaactc tccagactta tatagtcatc attttcaaag tcatggacag 2880
ttatctgacc acccccatgc cttatcatcc agtagcagtc atgcagaacc tagaggagaa 2940
aatgcagtat tatctagtga agacttacac aagcctgggc aagttagcgt acaactaccc 3000
ggtactaact atgttgggcc tggcaatgag ctacaagctg ggcccccgca aagtgctgtt 3060
gacagtgctg caaggattca tgactttagg tatagccaac tggctaagtt gggaataaat 3120
ccatatactc attggactgt agcagatgaa gagcttttaa aaaatataaa aaatgaaact 3180
gggtttcaag cacaagtagt aaaagactac tttactttaa aaggtgcagc tgcccctgtg 3240
gcccattttc aaggaagttt gccggaagtt cccgcttaca acgcctcaga aaaataccca 3300
agcatgactt cagttaattc tgcagaagcc agcactggtg caggaggggg tggcagtaat 3360

cctgtcaaaa gcatgtggag tgaggggcc actttagtg ccaactctgt aacttgtaca 3420
ttttccagac agtttttaat tccttatgac ccagagcacc attataaggt gttttctccc 3480
gcagcaagca gctgccacaa tgccagtgga aaggaggcaa aggtttgcac aattagtccc 3540
ataatgggat actcaacccc atggagatat ttagatttta atgctttaaa tttatttttt 3600
tcacctttag agtttcagca cttaattgaa aattatggaa gtatagctcc tgatgcttta 3660
actgtaacca tatcagaaat tgctgttaag gatgttacag acaaaactgg agggggggta 3720
caggttactg acagcactac agggcgccta tccatgttag tagaccatga atacaagtac 3780
ccatatgtgt taggacaagg tcaggatact ttagccccag aacttcctat ttgggtatac 3840
tttccccctc aatatgctta cttaacagta ggagatgtta acacacaagg aatctctgga 3900
gacagcaaaa aattagcaag tgaagaatca gcattttatg ttttggaaca cagttctttt 3960
cagcttttag gtacaggagg tacagcaact atgtcttata agtttcctcc agtgccccca 4020
gaaaatttag agggctgcag tcaacacttt tatgaaatgt acaatccctt atacggatcc 4080
cgcttagggg ttcctgacac attaggaggt gacccaaaat ttagatcttt aacacatgaa 4140
gaccatgcaa ttcagcccca aaacttcatg ccagggccac tagtaaactc agtgtctaca 4200
aaggagggag acagctctaa tactggagct ggaaaagcct taacaggcct tagcacaggc 4260
acctctcaaa acactagaat atccttacgc cctgggccag tgtcacagcc ataccaccac 4320
tgggacacag ataaatatgt tccaggaata aatgccattt ctcatggtca gaccacttat 4380
ggtaacgctg aagacaaaga gtatcagcaa ggagtgggta gatttccaaa tgaaaaagaa 4440
cagctaaaac agttacaggg tttaaacatg cacacctatt tccccaataa aggaacccag 4500
caatatacag atcaaattga gcgcccccta atggtgggtt ctgtatggaa cagaagagcc 4560
cttcactatg aaagccagct gtggagtaaa attccaaatt tagatgacag ttttaaaact 4620
cagtttgcag ccttaggagg atggggtttg catcagccac ctcctcaaat atttttaaaa 4680
atattaccac aaagtgggcc aattggaggt attaaatcaa tgggaattac taccttagtt 4740
cagtatgccg tgggaattat gacagtaact atgacattta aattggggcc ccgtaaagct 4800
acgggacggt ggaatcctca acctggagta tatcccccgc acgcagcagg tcatttacca 4860
tatgtactat atgaccccac agctacagat gcaaaacaac accacaggca tggatacgaa 4920
aagcctgaag aattgtggac agccaaaagc cgtgtgcacc cattgtaaac actccccacc 4980
gtgccctcag ccaggatgcg taactaaacg cccaccagta ccacccagac tgtacctgcc 5040
ccctcctgta cctataagac agcctaacac aaaagatata gacaatgtag aatttaagta 5100
cttaaccaga tatgaacaac atgttattag aatgttaaga ttgtgtaata tgtatcaaaa 5160
tttagaaaaa taaacatttg ttgtggttaa aaaattatgt tgttgcgctt taaaaattta 5220
aaagaagaca ccaaatcaga tgccgccggt cgccgccggt aggcgggact tccggtacaa 5280
gatggcggac aattacgtca tttcctgtga cgtcatttcc tgtgacgtca cttccggtgg 5340
gcgggacttc cggaattagg gttggctctg ggccagcgct tggggttgac gtgccactaa 5400

gacaagcggc gcgccgcttg tcttagtgtc aaggcaaccc caagcaagct ggcccagagc 5460

caaccctaat tccggaagtc ccgcccaccg gaagtgacgt cacaggaaat gacgtcacag 5520

gaaatgacgt aattgtccgc catcttgtac cggaagtccc gcctaccggc ggcgaccggc 5580

ggcatctgat ttgg 5594

<210> 2
<211> 3221
<212> DNA
<213> Hepatitis B virus

<400> 2
ttccactgcc ttccaccaag ctctgcaaga ccccagagtc aggggtctgt attttcctgc 60

tggtggctcc agttcaggaa cagtaaaccc tgctccgaat attgcctctc acatctcgtc 120

aatctccgcg aggaccgggg accctgtgac gaacatggag aacatcacat caggattcct 180

aggacccctg cccgtgttac aggcggggtt tttcttgttg acaagaatcc tcacaatacc 240

gcagagtcta gactcgtggt ggacttctct caattttcta gggggatcac ccgtgtgtct 300

tggccaaaat tcgcgatccc caacctccaa tcactcacca acctcctgtc ctccaatttg 360

tcctggttat cgctggatgt gtctgcggcg ttttatcata ttcctcttca tcctgctgct 420

atgcctcatc ttcttattgg ttcttctgga ttatcaaggt atgttgcccg tttgtcctct 480

aattctagga tcaacaacaa ccagtacggg accatgcaaa acctgcacga ctcctgctca 540

aggcaactct atgtttccct catgttgctg tacaaaacct acggatggaa attgcacctg 600

tattcccatc ccatcgtctt gggctttcgc aaaataccta tgggagtggg cctcagtccg 660

tttctcttgg ctcagtttac tagtgccatt tgttcagtgg ttcgtagggc tttcccccac 720

tgtttggctt tcagctatat ggatgatgtg gtattggggg ccaagtctgt acagcatcgt 780

gagttccttt ataccgctgt taccaatttt cttttgtctc tgggtataca tttaaaccct 840

aacaaaacaa aaagatgggg ttattcccta aacttcatgg gttatgtaat tggaagttgg 900

ggaacattgc cacaggatca tattgtacaa aaaatcaaac actgttttag aaaacttcct 960

gttaacaggc ctattgattg gaaagtatgt caaagaattg tgggtctttt gggctttgct 1020

gctccttta cacaatgtgg atatcctgcc ttaatgccct tgtatgcatg tatacaagct 1080

aaacaggctt tcactttctc gccaacttac aaggcctttc taagtaaaca gtacatgaac 1140

ctttaccccg ttgctcggca acggcctggt ctgtgccaag tatttgctga tgcaaccccc 1200

actggctggg gcttggccat aggccatcag cgcatgcgcg gaacctttgt ggctcctctg 1260

ccgatccata ctgcggaact cctagccgct tgttttgctc gcagccggtc tggagcgaaa 1320

ctcatcggaa ctgacaattc tgtcgtcctc tcgcggaaat atacctcgtt tccatggcta 1380

ctaggctgtg ctgccaactg gatccttcgc gggacgtcct ttgtttacgt cccgtcggcg 1440

ctgaatcccg cggacgaccc ctctcggggc cgcttgggac tctctcgtcc ccttctccgt 1500

ctgccgttcc agccgaccac ggggcgcacc tctctttacg cggtctcccc gtctgtgcct 1560

tctcatctgc cggtccgtgt gcacttcgct tcacctctgc acgttgcatg gagaccaccg 1620

tgaacgccca tcagatcctg cccaaggtct tacataagag gactcttgga ctcccagcaa 1680

tgtcaacgac cgaccttgag gcctacttca aagactgtgt gtttaaggac tgggaggagc 1740

tgggggagga gattaggtta aaggtctttg tattaggagg ctgtaggcat aaattggtct 1800

gcgcaccagc accatgcaac tttttcacct ctgcctaatc atctcttgta catgtcccac 1860

tgttcaagcc tccaagctgt gccttgggtg gctttggggc atggacattg acccttataa 1920

agaatttgga gctactgtgg agttactctc gtttttgcct tctgacttct ttccttccgt 1980

cagagatctc ctagacaccg cctcggctct gtatcgggaa gccttagagt ctcctgagca 2040

ttgctcacct caccataccg cactcaggca agccattctc tgctgggggg aattgatgac 2100

tctagctacc tgggtgggta ataatttgga agatccagca tccagggatc tagtagtcaa 2160

ttatgttaat actaacatgg gattaaagat caggcaactc ttgtggtttc atatctcttg 2220

ccttactttt ggaagagaaa ctgtacttga atatttggtc tctttcggag tgtggattcg 2280

cactcctcca gcctatagac caccaaatgc ccctatctta tcaacacttc cggaaactac 2340

tgttgttaga cgacgggacc gaggcaggtc ccctagaaga agaactccct cgcctcgcag 2400

acgcagatct caatcgccgc gtcgcagaag atctcaatct cgggaatctc aatgttagta 2460

ttccttggac tcataaggtg ggaaacttca ctgggcttta ttcctctaca gcacctatct 2520

ttaatcctga atggcaaact ccttcctttc ctaaaattca tttacaagag gacattatta 2580

ataggtgtca acaatttgtg ggccctctca ctgtaaatga aaagagaaga ttgaaattaa 2640

ttatgcctgc tagattctat cctacccaca ctaaatattt gcccttagac aaaggaatta 2700

aaccttatta tccagatcag gtagttaatc attacttcca aaccagacat tatttacata 2760

ctctttggaa ggcgggtatt ctatataaga gagaaaccac acgtagcgca tcattttgcg 2820

ggtcaccata ttcttgggaa caagagctac agcatgggag gttggtcatc aaaacctcgc 2880

aaaggcatgg ggacgaatct ttctgttccc aaccctctgg gattctttcc cgatcatcag 2940

ttggaccctg tattcggagc caactcaaac aatccagatt gggacttcaa ccccatcaag 3000

gaccactggc cagcagccaa ccaggtagga gtgggagcat tcgggccagg gttcacccct 3060

ccacacggcg gtgttttggg gtggagccct caggctcagg gcatgttgac cccagtgtca 3120

acaattcctc ctcctgcctc cgccaatcgg cagtcaggaa ggcagcctac tcccatctct 3180

ccacctctaa gagacagtca tcctcaggcc atgcagtgga a 3221

<210> 3
<211> 5075
<212> DNA
<213> Porcine parvovirus

<400> 3
aatctttaaa ctgaccaact gtctttgcgt atggtgacgt gatgacgcgc gctacgcgcg 60

ctgccttcgg cagtcacacg tcaccatcag caaagacagt tggtcagttt aaagattaat 120

aagacattcc attggctgaa aagaggcggg aaattcaaaa aaagaggcgg gaaaaaaaga 180

ggtggagcct aacactataa atacagttgc ttacttcagt tagttccttt ctgcttcaga 240
ctgcacttcg ctccagagac acagctacaa actactctca gctactgcag catggcagcg 300
ggaaacactt actcggaaga ggtactaaaa gctaccaact ggcttcaaga taatgctcaa 360
aaagaagcat tctcttatgt atttaaaaca caaaaagtca atctaaatgg aaaagaaatt 420
gcttggaata actacaacaa agatacaaca gatgcggaaa tgataaacct acaaagagga 480
gcagaaacat catgggacca ggcaacagac atggaatggg aatcagaaat cgacagcctc 540
acaaaacggc aagtactgat ttttgactct cttgttaaaa aatgtctctt tgaaggtata 600
ttgcaaaaga acctaagtcc aagtgactgc tactggttca tacagcatga acatggtcaa 660
gatactggct atcactgcca tgtactacta ggtggaaaag gcttacaaca agcaatggga 720
aaatggttca gaaaacaatt aaacaattta tggagtagat ggttaataat gcaatgcaaa 780
gtacctctaa caccagttga aagaataaaa ttaagggaat tagcagagga tggtgagtgg 840
gtatcgctac taacctacac tcacaaacaa actaaaaaac aatatacaaa aatgactcat 900
tttggaaata tgattgctta ctacttccta aataaaaaaa gaaagacaac tgaaagagag 960
catggatatt atctcagctc agattctggc ttcatgacaa atttcttaaa agaaggcgag 1020
agacacttag tcagtcacct atttactgaa gcaaataaac ctgaaactgt ggaaacaacg 1080
gttactacag ctcaggaagc caaaagaggc agaatacaaa caaaaaaaga agtaagcata 1140
aaatgcacaa taagagactt ggttaataaa agatgtacta gcatagaaga ctggatgatg 1200
acagatccag acagttatat agaaatgatg gctcaaaccg gaggagaaaa tttaatcaaa 1260
aatacactag aaataacaac tcttactcta gcaagaacaa aaacagcata tgacttaata 1320
cttgaaaagg caaaaccaag catgctacca acatttaata ttagcaatac aagaacatgt 1380
aaaatattca gcatgcacaa ttggaactac attaaagtct gccatgctat aacttgtgta 1440
ctaaacagac aaggaggaaa aagaaataca attctatttc atgggccagc atcaacagga 1500
aaaagtataa ttgctcaaca cattgcaaac ttagttggta atgttggttg ctacaatgca 1560
gccaatgtga actttccatt taatgactgt acaaataaaa acttaatatg gattgaagaa 1620
gcaggaaact tctctaacca agtaaaccaa ttcaaagcca tatgttcagg tcaaacaatt 1680
agaattgacc aaaaaggtaa aggaagcaaa caaattgaac caactcctgt aataatgact 1740
acaaatgaag acataactaa agttagaata ggatgcgagg aaagaccaga acatacacaa 1800
ccaataagag acagaatgtt aaacataaac ctaaccagaa aactgccagg tgattttgga 1860
cttttagaag aaactgaatg gccactaata tgtgcttggt tggtaaagaa aggttaccaa 1920
gcaacaatgg ctagctatat gcatcattgg ggaaatgtac ctgattggtc agaaaaatgg 1980
gaggagccaa aaatgcaaac cccaataaat acaccaacag actctcagat ttccacatca 2040
gtgaaaactt cgccagcgga caacaactac gcagcaactc caatacagga ggacctggat 2100
ttagctttag ccttggagcc gtggagcgag ccaacaacac caactttcac caacctgcac 2160
ttaactccaa caccgccaga ttcagcaata cggacaccaa gtccaacttg gtcggaaata 2220

gaaaccgaca taagagcctg ctttggtgaa aactgtgcac ccacaacaaa ccttgaataa 2280
ggtaggatgg cgcctcctgc aaaaagagca agaggtaagg gtagttttaa gggggtggtg 2340
ggcatacata taaaactaac tgcaaataat ttttttatat attacaggac taactctacc 2400
aggatacaaa taccttggtc caggaaactc actagaccaa ggagaaccaa ctaatccatc 2460
agacgccgca gcaaaagaac acgacgaagc ctacgacaaa tacataaaat ctggaaaaaa 2520
tccatacttc tacttctcag cagctgatga aaaattcata aaagaaactg aacacgcaaa 2580
agactacgga ggtaaaattg gacattactt cttcagagca aagcgtgcct ttgctccaaa 2640
actctcagaa acagactcac caactacatc tcaacaacca gaggtaagaa gatcgccgag 2700
aaaacaccca gggtctaaac caccaggaaa aagacctgct ccaagacata tttttataaa 2760
cttagctaaa aaaaaagcta aagggacatc taatacaaac tctaactcaa tgagtgaaaa 2820
tgtggaacaa cacaacccta ttaatgcagg cactgaattg tctgcaacag gaaatgaatc 2880
tgggggtggg ggcggcggtg gcgggggtag gggtgctggg ggggttggtg tgtctacagg 2940
tactttcaat aatcaaacag aatttcaata cttgggggag ggcttggtta gaatcactgc 3000
acacgcatca agactcatac atctaaatat gccagaacac gaaacataca aaagaataca 3060
tgtactaaat tcagaatcag gggtggcggg acaaatggta caagacgatg cacacacaca 3120
aatggtaaca ccttggtcac taatagatgc taacgcatgg ggagtgtggt tcaatccagc 3180
ggactggcag ttaatatcca acaacatgac agaaataaac ttagttagtt ttgaacaaga 3240
aatattcaat gtagtactta aaacaattac agaatcagca acctcaccac caaccaaaat 3300
atataataat gatctaactg caagcttaat ggtcgcacta gacaccaata acacacttcc 3360
atacacacca gcagcaccta gaagtgaaac acttggtttt tatccatggt tacctacaaa 3420
accaactcaa tacagatatt acctatcatg catcagaaac ctaaatccac caacatacac 3480
tggacaatca caacaaataa cagactcaat acaaacagga ctacacagtg acattatgtt 3540
ctacacaata gaaaatgcag taccaattca tcttctaaga acaggagatg aattctccac 3600
aggaatatat cactttgaca caaaaccact aaaattaact cactcatggc aaacaaacag 3660
atctctagga ctgcctccaa aactactaac tgaacctacc acagaaggag accaacaccc 3720
aggaacacta ccagcagcta acacaagaaa aggttatcac caaacaatta ataatagcta 3780
cacagaagca acagcaatta ggccagctca ggtaggatat aatacaccat acatgaattt 3840
tgaatactcc aatggtggac catttctaac tcctatagta ccaacagcag acacacaata 3900
taatgatgat gaaccaaatg gtgctataag atttacaatg gattaccaac atggacactt 3960
aaccacatct tcacaagagc tagaaagata cacattcaat ccacaaagta aatgtggaag 4020
agctccaaag caacaattta atcaacaggc accactaaac ctagaaaata caaataatgg 4080
aacactttta ccttcagatc caataggagg gaaatctaac atgcatttca tgaatacact 4140
caatacatat ggaccattaa cagcactaaa caatactgca cctgtatttc caaatggtca 4200
aatatgggat aaagaacttg atacagatct aaaacctaga ctacatgtta cagctccatt 4260

tgtttgtaaa aacaatccac caggacaact atttgtaaaa atagcaccaa acctaacaga 4320
tgatttcaat gctgactctc ctcaacaacc tagaataata acttattcaa acttttggtg 4380
gaaaggaaca ctaacattca cagcaaaaat gagatccagt aatatgtgga accctattca 4440
acaacacaca acaacagcag aaaacattgg taactatatt cctacaaata ttggtggcat 4500
aagaatgttt ccagaatatt cacaacttat accaagaaaa ttatactaga aataactctg 4560
taaataaaaa ctcagttact tggttaatca tgtactacta tcattgtata cttcaataaa 4620
aataaattgt aaaatcaata aaactaagtt acttagtttc tgtataccta tactagaaat 4680
aactctgtaa ataaaaactc agttacttgg ttaatcatgt actactatca ttgtatactt 4740
caataaaaat aaattgtaaa atcaataaaa ctaagttact tagtttctgt ataccaatta 4800
tccccaaaaa acaataaaat tttaaaaaga aacaagctct catgtgttta ctattaacta 4860
aaccaaccac acttatatga ccttatgtct ttagggtggg tgggtgggaa ttactatgta 4920
ttcctttgag ttagttggtc gcctttgggc gactaaccaa gcggctctgc cgcttggtta 4980
gtcgcacggc gaccaactaa ctcaaaggaa tacatagtaa ttcccaccca cccaccctaa 5040
agacataagg tcatataagt gtggttggtt tagtt 5075

<210> 4
<211> 11703
<212> DNA
<213> Sindbis virus

<400> 4
attgacggcg tagtacacac tattgaatca aacagccgac caattgcact accatcacaa 60
tggagaagcc agtagtaaac gtagacgtag acccccagag tccgtttgtc gtgcaactgc 120
aaaaaagctt cccgcaattt gaggtagtag cacagcaggt cactccaaat gaccatgcta 180
atgccagagc attttcgcat ctggccagta aactaatcga gctggaggtt cctaccacag 240
cgacgatctt ggacataggc agcgcaccgg ctcgtagaat gttttccgag caccagtatc 300
attgtgtctg ccccatgcgt agtccagaag acccggaccg catgatgaaa tacgccagta 360
aactggcgga aaaagcgtgc aagattacaa acaagaactt gcatgagaag attaaggatc 420
tccggaccgt acttgatacg ccggatgctg aaacaccatc gctctgcttt cacaacgatg 480
ttacctgcaa catgcgtgcc gaatattccg tcatgcagga cgtgtatatc aacgctcccg 540
gaactatcta tcatcaggct atgaaaggcg tgcggaccct gtactggatt ggcttcgaca 600
ccacccagtt catgttctcg gctatggcag gttcgtaccc tgcgtacaac accaactggg 660
ccgacgagaa agtccttgaa gcgcgtaaca tcggactttg cagcacaaag ctgagtgaag 720
gtaggacagg aaaattgtcg ataatgagga agaaggagtt gaagcccggg tcgcgggttt 780
atttctccgt aggatcgaca ctttatccag aacacagagc cagcttgcag agctggcatc 840
ttccatcggt gttccacttg aatggaaagc agtcgtacac ttgccgctgt gatacagtgg 900
tgagttgcga aggctacgta gtgaagaaaa tcaccatcag tcccgggatc acgggagaaa 960

ccgtgggata cgcggttaca cacaatagcg agggcttctt gctatgcaaa gttactgaca 1020

cagtaaaagg agaacgggta tcgttccctg tgtgcacgta catcccggcc accatatgcg 1080

atcagatgac tggtataatg gccacggata tatcacctga cgatgcacaa aaacttctgg 1140

ttgggctcaa ccagcgaatt gtcattaacg gtaggactaa caggaacacc aacaccatgc 1200

aaaattacct tctgccgatc atagcacaag ggttcagcaa atgggctaag gagcgcaagg 1260

atgatcttga taacgagaaa atgctgggta ctagagaacg caagcttacg tatggctgct 1320

tgtgggcgtt tcgcactaag aaagtacatt cgttttatcg cccacctgga acgcagacct 1380

gcgtaaaagt cccagcctct tttagcgctt ttcccatgtc gtccgtatgg acgacctctt 1440

tgcccatgtc gctgaggcag aaattgaaac tggcattgca accaaagaag gaggaaaaac 1500

tgctgcaggt ctcggaggaa ttagtcatgg aggccaaggc tgcttttgag gatgctcagg 1560

aggaagccag agcggagaag ctccgagaag cacttccacc attagtggca gacaaaggca 1620

tcgaggcagc cgcagaagtt gtctgcgaag tggaggggct ccaggcggac atcggagcag 1680

cattagttga aaccccgcgc ggtcacgtaa ggataatacc tcaagcaaat gaccgtatga 1740

tcggacagta tatcgttgtc tcgccaaact ctgtgctgaa gaatgccaaa ctcgcaccag 1800

cgcacccgct agcagatcag gttaagatca taacacactc cggaagatca ggaaggtacg 1860

cggtcgaacc atacgacgct aaagtactga tgccagcagg aggtgccgta ccatggccag 1920

aattcctagc actgagtgag agcgccacgt tagtgtacaa cgaaagagag tttgtgaacc 1980

gcaaactata ccacattgcc atgcatggcc ccgccaagaa tacagaagag gagcagtaca 2040

aggttacaaa ggcagagctt gcagaaacag agtacgtgtt tgacgtggac aagaagcgtt 2100

gcgttaagaa ggaagaagcc tcaggtctgg tcctctcggg agaactgacc aaccctccct 2160

atcatgagct agctctggag ggactgaaga cccgacctgc ggtcccgtac aaggtcgaaa 2220

caataggagt gataggcaca ccggggtcgg gcaagtcagc tattatcaag tcaactgtca 2280

cggcacgaga tcttgttacc agcggaaaga aagaaaattg tcgcgaaatt gaggccgacg 2340

tgctaagact gaggggtatg cagattacgt cgaagacagt agattcggtt atgctcaacg 2400

gatgccacaa agccgtagaa gtgctgtacg ttgacgaagc gttcgcgtgc cacgcaggag 2460

cactacttgc cttgattgct atcgtcaggc cccgcaagaa ggtagtacta tgcggagacc 2520

ccatgcaatg cggattcttc aacatgatgc aactaaaggt acatttcaat caccctgaaa 2580

aagacatatg caccaagaca ttctacaagt atatctcccg gcgttgcaca cagccagtta 2640

cagctattgt atcgacactg cattacgatg gaaagatgaa aaccacgaac ccgtgcaaga 2700

agaacattga aatcgatatt acaggggcca caaagccgaa gccaggggat atcatcctga 2760

catgtttccg cgggtgggtt aagcaattgc aaatcgacta tcccggacat gaagtaatga 2820

cagccgcggc ctcacaaggg ctaaccagaa aaggagtgta tgccgtccgg caaaaagtca 2880

atgaaaaccc actgtacgcg atcacatcag agcatgtgaa cgtgttgctc acccgcactg 2940

aggacaggct agtgtggaaa accttgcagg gcgacccatg gattaagcag cccactaaca 3000

tacctaaagg aaactttcag gctactatag aggactggga agctgaacac aagggaataa 3060

ttgctgcaat aaacagcccc actccccgtg ccaatccgtt cagctgcaag accaacgttt 3120

gctgggcgaa agcattggaa ccgatactag ccacggccgg tatcgtactt accggttgcc 3180

agtggagcga actgttccca cagtttgcgg atgacaaacc acattcggcc atttacgcct 3240

tagacgtaat ttgcattaag tttttcggca tggacttgac aagcggactg ttttctaaac 3300

agagcatccc actaacgtac catcccgccg attcagcgag gccggtagct cattgggaca 3360

acagcccagg aacccgcaag tatgggtacg atcacgccat tgccgccgaa ctctcccgta 3420

gatttccggt gttccagcta gctgggaagg gcacacaact tgatttgcag acggggagaa 3480

ccagagttat ctctgcacag cataacctgg tcccggtgaa ccgcaatctt cctcacgcct 3540

tagtccccga gtacaaggag aagcaacccg gcccggtcaa aaaattcttg aaccagttca 3600

aacaccactc agtacttgtg gtatcagagg aaaaaattga agctccccgt aagagaatcg 3660

aatggatcgc cccgattggc atagccggtg cagataagaa ctacaacctg gctttcgggt 3720

ttccgccgca ggcacggtac gacctggtgt tcatcaacat tggaactaaa tacagaaacc 3780

accactttca gcagtgcgaa gaccatgcgg cgaccttaaa aacccttttcg cgttcggccc 3840

tgaattgcct taacccagga ggcaccctcg tggtgaagtc ctatggctac gccgaccgca 3900

acagtgagga cgtagtcacc gctcttgcca gaaagtttgt cagggtgtct gcagcgagac 3960

cagattgtgt ctcaagcaat acagaaatgt acctgatttt ccgacaacta gacaacagcc 4020

gtacacggca attcaccccg caccatctga attgcgtgat ttcgtccgtg tatgagggta 4080

caagagatgg agttggagcc gcgccgtcat accgcaccaa aagggagaat attgctgact 4140

gtcaagagga agcagttgtc aacgcagcca atccgctggg tagaccaggc gaaggagtct 4200

gccgtgccat ctataaacgt tggccgacca gttttaccga ttcagccacg gagacaggca 4260

ccgcaagaat gactgtgtgc ctaggaaaga aagtgatcca cgcggtcggc cctgatttcc 4320

ggaagcaccc agaagcagaa gccttgaaat tgctacaaaa cgcctaccat gcagtggcag 4380

acttagtaaa tgaacataac atcaagtctg tcgccattcc actgctatct acaggcattt 4440

acgcagccgg aaaagaccgc cttgaagtat cacttaactg cttgacaacc gcgctagaca 4500

gaactgacgc ggacgtaacc atctattgcc tggataagaa gtggaaggaa agaatcgacg 4560

cggcactcca acttaaggag tctgtaacag agctgaagga tgaagatatg gagatcgacg 4620

atgagttagt atggatccat ccagacagtt gcttgaaggg aagaaaggga ttcagtacta 4680

caaaaggaaa attgtattcg tacttcgaag gcaccaaatt ccatcaagca gcaaaagaca 4740

tggcggagat aaaggtcctg ttccctaatg accaggaaag taatgaacaa ctgtgtgcct 4800

acatattggg tgagaccatg gaagcaatcc gcgaaaagtg cccggtcgac cataacccgt 4860

cgtctagccc gcccaaaacg ttgccgtgcc tttgcatgta tgccatgacg ccagaaaggg 4920

tccacagact tagaagcaat aacgtcaaag aagttacagt atgctcctcc acccccccttc 4980

ctaagcacaa aattaagaat gttcagaagg ttcagtgcac gaaagtagtc ctgtttaatc 5040

cgcacactcc cgcattcgtt cccgcccgta agtacataga agtgccagaa cagcctaccg 5100
ctcctcctgc acaggccgag gaggcccccg aagttgtagc gacaccgtca ccatctacag 5160
ctgataacac ctcgcttgat gtcacagaca tctcactgga tatggatgac agtagcgaag 5220
gctcactttt ttcgagcttt agcggatcgg acaactctat tactagtatg gacagttggt 5280
cgtcaggacc tagttcacta gagatagtag accgaaggca ggtggtggtg gctgacgttc 5340
atgccgtcca agagcctgcc cctattccac cgccaaggct aaagaagatg gcccgcctgg 5400
cagcggcaag aaaagagccc actccaccgg caagcaatag ctctgagtcc ctccacctct 5460
cttttggtgg ggtatccatg tccctcggat caattttcga cggagagacg gcccgccagg 5520
cagcggtaca acccctggca acaggcccca cggatgtgcc tatgtctttc ggatcgtttt 5580
ccgacggaga gattgatgag ctgagccgca gagtaactga gtccgaaccc gtcctgtttg 5640
gatcatttga accgggcgaa gtgaactcaa ttatatcgtc ccgatcagcc gtatcttttc 5700
cactacgcaa gcagagacgt agacgcagga gcaggaggac tgaatactga ctaaccgggg 5760
taggtgggta catattttcg acggacacag gccctgggca cttgcaaaag aagtccgttc 5820
tgcagaacca gcttacagaa ccgaccttgg agcgcaatgt cctggaaaga attcatgccc 5880
cggtgctcga cacgtcgaaa gaggaacaac tcaaactcag gtaccagatg atgcccaccg 5940
aagccaacaa aagtaggtac cagtctcgta aagtagaaaa tcagaaagcc ataaccactg 6000
agcgactact gtcaggacta cgactgtata actctgccac agatcagcca gaatgctata 6060
agatcaccta tccgaaacca ttgtactcca gtagcgtacc ggcgaactac tccgatccac 6120
agttcgctgt agctgtctgt aacaactatc tgcatgagaa ctatccgaca gtagcatctt 6180
atcagattac tgacgagtac gatgcttact tggatatggt agacgggaca gtcgcctgcc 6240
tggatactgc aaccttctgc cccgctaagc ttagaagtta cccgaaaaaa catgagtata 6300
gagccccgaa tatccgcagt gcggttccat cagcgatgca gaacacgcta caaaatgtgc 6360
tcattgccgc aactaaaaga aattgcaacg tcacgcagat gcgtgaactg ccaacactgg 6420
actcagcgac attcaatgtc gaatgctttc gaaaatatgc atgtaatgac gagtattggg 6480
aggagttcgc tcggaagcca attaggatta ccactgagtt tgtcaccgca tatgtagcta 6540
gactgaaagg ccctaaggcc gccgcactat ttgcaaagac gtataatttg gtcccattgc 6600
aagaagtgcc tatggataga ttcgtcatgg acatgaaaag agacgtgaaa gttacaccag 6660
gcacgaaaca cacagaagaa agaccgaaag tacaagtgat acaagccgca gaacccctgg 6720
cgactgctta cttatgcggg attcaccggg aattagtgcg taggcttacg gccgtcttgc 6780
ttccaaacat tcacacgctt tttgacatgt cggcggagga ttttgatgca atcatagcag 6840
aacacttcaa gcaaggcgac ccggtactgg agacggatat cgcatcattc gacaaaagcc 6900
aagacgacgc tatggcgtta accggtctga tgatcttgga ggacctgggt gtggatcaac 6960
cactactcga cttgatcgag tgcgcctttg gagaaatatc atccacccat ctacctacgg 7020
gtactcgttt taaattcggg gcgatgatga aatccggaat gttcctcaca ctttttgtca 7080

acacagtttt gaatgtcgtt atcgccagca gagtactaga agagcggctt aaaacgtcca 7140
gatgtgcagc gttcattggc gacgacaaca tcatacatgg agtagtatct gacaaagaaa 7200
tggctgagag gtgcgccacc tggctcaaca tggaggttaa gatcatcgac gcagtcatcg 7260
gtgagagacc accttacttc tgcggcggat ttatcttgca agattcggtt acttccacag 7320
cgtgccgcgt ggcggatccc ctgaaaaggc tgtttaagtt gggtaaaccg ctcccagccg 7380
acgacgagca agacgaagac agaagacgcg ctctgctaga tgaaacaaag gcgtggttta 7440
gagtaggtat aacaggcact ttagcagtgg ccgtgacgac ccggtatgag gtagacaata 7500
ttacacctgt cctactggca ttgagaactt ttgcccagag caaaagagca ttccaagcca 7560
tcagagggga aataaagcat ctctacggtg gtcctaaata gtcagcatag tacatttcat 7620
ctgactaata ctacaacacc accaccatga atagaggatt ctttaacatg ctcggccgcc 7680
gccccttccc ggcccccact gccatgtgga ggccgcggag aaggaggcag gcggccccga 7740
tgcctgcccg caacgggctg gcttctcaaa tccagcaact gaccacagcc gtcagtgccc 7800
tagtcattgg acaggcaact agacctcaac ccccacgtcc acgcccgcca ccgcgccaga 7860
agaagcaggc gcccaagcaa ccaccgaagc cgaagaaacc aaaaacgcag gagaagaaga 7920
agaagcaacc tgcaaaaccc aaacccggaa agagacagcg catggcactt aagttggagg 7980
ccgacagatt gttcgacgtc aagaacgagg acggagatgt catcgggcac gcactggcca 8040
tggaaggaaa ggtaatgaaa cctctgcacg tgaaaggaac catcgaccac cctgtgctat 8100
caaagctcaa atttaccaag tcgtcagcat acgacatgga gttcgcacag ttgccagtca 8160
acatgagaag tgaggcattc acctacacca gtgaacaccc cgaaggattc tataactggc 8220
accacggagc ggtgcagtat agtggaggta gatttaccat ccctcgcgga gtaggaggca 8280
gaggagacag cggtcgtccg atcatggata actccggtcg ggttgtcgcg atagtcctcg 8340
gtggcgctga tgaaggaaca cgaactgccc tttcggtcgt cacctggaat agtaaaggga 8400
agacaattaa gacgaccccg gaagggacag aagagtggtc cgcagcacca ctggtcacgg 8460
caatgtgttt gctcggaaat gtgagcttcc catgcgaccg cccgcccaca tgctataccc 8520
gcgaaccttc cagagccctc gacatccttg aagagaacgt gaaccatgag gcctacgata 8580
ccctgctcaa tgccatattg cggtgcggat cgtctggcag aagcaaaaga agcgtcattg 8640
acgactttac cctgaccagc ccctacttgg gcacatgctc gtactgccac catactgtac 8700
cgtgcttcag ccctgttaag atcgagcagg tctgggacga agcggacgat aacaccatac 8760
gcatacagac ttccgcccag tttggatacg accaaagcgg agcagcaagc gcaaacaagt 8820
accgctacat gtcgcttaag caggatcaca ccgttaaaga aggcaccatg gatgacatca 8880
agattagcac ctcaggaccg tgtagaaggc ttagctacaa aggatacttt ctcctcgcaa 8940
aatgccctcc aggggacagc gtaacggtta gcatagtgag tagcaactca gcaacgtcat 9000
gtacactggc ccgcaagata aaaccaaaat tcgtgggacg ggaaaaatat gatctacctc 9060
ccgttcacgg taaaaaaatt ccttgcacag tgtacgaccg tctgaaagaa acaactgcag 9120

gctacatcac tatgcacagg ccgagaccgc acgcttatac atcctacctg gaagaatcat 9180
cagggaaagt ttacgcaaag ccgccatctg ggaagaacat tacgtatgag tgcaagtgcg 9240
gcgactacaa gaccggaacc gtttcgaccc gcaccgaaat cactggttgc accgccatca 9300
agcagtgcgt cgcctataag agcgaccaaa cgaagtgggt cttcaactca ccggacttga 9360
tcagacatga cgaccacacg gcccaaggga aattgcattt gcctttcaag ttgatcccga 9420
gtacctgcat ggtccctgtt gcccacgcgc cgaatgtaat acatggcttt aaacacatca 9480
gcctccaatt agatacagac cacttgacat tgctcaccac caggagacta ggggcaaacc 9540
cggaaccaac cactgaatgg atcgtcggaa agacggtcag aaacttcacc gtcgaccgag 9600
atggcctgga atacatatgg ggaaatcatg agccagtgag ggtctatgcc caagagtcag 9660
caccaggaga ccctcacgga tggccacacg aaatagtaca gcattactac catcgccatc 9720
ctgtgtacac catcttagcc gtcgcatcag ctaccgtggc gatgatgatt ggcgtaactg 9780
ttgcagtgtt atgtgcctgt aaagcgcgcc gtgagtgcct gacgccatac gccctggccc 9840
caaacgccgt aatcccaact tcgctggcac tcttgtgctg cgttaggtcg gccaatgctg 9900
aaacgttcac cgagaccatg agttacttgt ggtcgaacag tcagccgttc ttctgggtcc 9960
agttgtgcat acctttggcc gctttcatcg ttctaatgcg ctgctgctcc tgctgcctgc 10020
ctttttttagt ggttgccggc gcctacctgg cgaaggtaga cgcctacgaa catgcgacca 10080
ctgttccaaa tgtgccacag ataccgtata aggcacttgt tgaaagggca gggtatgccc 10140
cgctcaattt ggagatcact gtcatgtcct cggaggtttt gccttccacc aaccaagagt 10200
acattacctg caaattcacc actgtggtcc cctccccaaa aatcaaatgc tgcggctcct 10260
tggaatgtca gccggccgct catgcagact atacctgcaa ggtcttcgga ggggtctacc 10320
cctttatgtg gggaggagcg caatgttttt gcgacagtga gaacagccag atgagtgagg 10380
cgtacgtcga attgtcagca gattgcgcgt ctgaccacgc gcaggcgatt aaggtgcaca 10440
ctgccgcgat gaaagtagga ctgcgtattg tgtacgggaa cactaccagt ttcctagatg 10500
tgtacgtgaa cggagtcaca ccaggaacgt ctaaagactt gaaagtcata gctggaccaa 10560
tttcagcatc gtttacgcca ttcgatcata aggtcgttat ccatcgcggc ctggtgtaca 10620
actatgactt cccggaatat ggagcgatga aaccaggagc gtttggagac attcaagcta 10680
cctccttgac tagcaaggat ctcatcgcca gcacagacat taggctactc aagccttccg 10740
ccaagaacgt gcatgtcccg tacacgcagg cctcatcagg atttgagatg tggaaaaaca 10800
actcaggccg cccactgcag gaaaccgcac ctttcgggtg taagattgca gtaaatccgc 10860
tccgagcggt ggactgttca tacgggaaca ttcccatttc tattgacatc ccgaacgctg 10920
cctttatcag gacatcagat gcaccactgg tctcaacagt caaatgtgaa gtcagtgagt 10980
gcacttattc agcagacttc ggcgggatgg ccaccctgca gtatgtatcc gaccgcgaag 11040
gtcaatgccc cgtacattcg cattcgagca cagcaactct ccaagagtcg acagtacatg 11100
tcctggagaa aggagcggtg acagtacact ttagcaccgc gagtccacag gcgaacttta 11160

tcgtatcgct gtgtgggaag aagacaacat gcaatgcaga atgtaaacca ccagctgacc 11220

atatcgtgag caccccgcac aaaaatgacc aagaatttca agccgccatc tcaaaaacat 11280

catggagttg gctgtttgcc cttttcggcg gcgcctcgtc gctattaatt ataggactta 11340

tgatttttgc ttgcagcatg atgctgacta gcacacgaag atgaccgcta cgccccaatg 11400

atccgaccag caaaactcga tgtacttccg aggaactgat gtgcataatg catcaggctg 11460

gtacattaga tccccgctta ccgcgggcaa tatagcaaca ctaaaaactc gatgtacttc 11520

cgaggaagcg cagtgcataa tgctgcgcag tgttgccaca taaccactat attaaccatt 11580

tatctagcgg acgccaaaaa ctcaatgtat ttctgaggaa gcgtggtgca taatgccacg 11640

cagcgtctgc ataactttta ttatttcttt tattaatcaa caaaattttg tttttaacat 11700

ttc 11703

<210> 5
<211> 10945
<212> DNA
<213> West Nile virus

<400> 5
gaggattaac aacaattaac acagtgcgag ctgtttctta gcacgaagat ctcgatgtct 60

aagaaaccag gagggcccgg caagagccgg gctgtcaata tgctaaaacg cggaatgccc 120

cgcgtgttgt ccttgattgg actgaagagg gctatgttga gcctgatcga cggcaagggg 180

ccaatacgat ttgtgttggc tctcttggcg ttcttcaggt tcacagcaat tgctccgacc 240

cgagcagtgc tggatcgatg gagaggtgtg aacaaacaaa cagcgatgaa acaccttctg 300

agttttaaga aggaactagg gaccttgacc agtgctatca atcggcggag ctcaaaacaa 360

aagaaaagag gaggaaagac cggaattgca gtcatgattg gcctgatcgc cagcgtagga 420

gcagttaccc tctctaactt ccaagggaag gtgatgatga cggtaaatgc tactgacgtc 480

acagatgtca tcacgattcc aacagctgct ggaaagaacc tatgcattgt cagagcaatg 540

gatgtgggat acatgtgcga tgatactatc acctatgaat gcccagtgct gtcggctggt 600

aatgatccag aagacatcga ctgttggtgc acaaagtcag cagtctacgt caggtatgga 660

agatgcacca agacacgcca ctcaagacgc agtcggaggt cactgacagt gcagacacac 720

ggagaaagca ctctagcgaa caagaagggg gcttggatgg acagcaccaa ggccacaagg 780

tatttggtaa aaacagaatc atggatcttg aggaaccctg gatatgccct ggtggcagcc 840

gtcattggtt ggatgcttgg gagcaacacc atgcagagag ttgtgtttgt cgtgctattg 900

cttttggtgg ccccagctta cagcttcaac tgccttggaa tgagcaacag agacttcttg 960

gaaggagtgt ctggagcaac atgggtggat ttggttctcg aaggcgatag ctgcgtgact 1020

atcatgtcta aggacaagcc taccatcgat gtgaagatga tgaatatgga ggcggccaac 1080

ctggcagagg tccgcagtta ttgctatttg gctaccgtca gcgatctctc caccaaagct 1140

gcgtgcccga ccatggggga agcccacaat gacaaacgtg ctgacccagc ttttgtgtgc 1200

agacaaggag tggtggacag gggctggggc aacggctgcg gactatttgg caaaggaagc 1260

attgacacat gcgccaaatt tgcctgctct accaaggcaa taggaagaac catcttgaaa 1320
gagaatatca agtacgaagt ggccattttt gtccatggac caactactgt ggagtcgcac 1380
ggaaactact ccacacaggt tggagccact caggcaggga gattcagcat cactcctgcg 1440
gcgccttcat acacactaaa gcttggagaa tatggagagg tgacagtgga ctgtgaacca 1500
cggtcaggga ttgacaccaa tgcatactac gtgatgactg ttggaacaaa gacgttcttg 1560
gtccatcgtg agtggttcat ggacctcaac ctcccttgga gcagtgctgg aagtactgtg 1620
tggaggaaca gagagacgtt aatggagttt gaggaaccac acgccacgaa gcagtctgtg 1680
atagcattgg gctcacaaga gggagctctg catcaagctt tggctggagc cattcctgtg 1740
gaattttcaa gcaacactgt caagttgacg tcgggtcatt tgaagtgtag agtgaagatg 1800
gaaaaattgc agttgaaggg aacaacctat ggcgtctgtt caaaggcttt caagtttctt 1860
gggactcccg cagacacagg tcacggcact gtggtgttgg aattgcagta cactggcacg 1920
gatggacctt gcaaagttcc tatctcgtca gtggcttcat tgaacgacct aacgccagtg 1980
ggcagattgg tcactgtcaa ccctttttgtt tcagtggcca cggccaacgc taaggtcctg 2040
attgaattgg aaccaccctt tggagactca tacatagtgg tgggcagagg agaacaacag 2100
atcaatcacc attggcacaa gtctggaagc agcattggca aagcctttac aaccaccctc 2160
aaaggagcgc agagactagc cgctctagga gacacagctt gggactttgg atcagttgga 2220
ggggtgttca cctcagttgg gaaggctgtc catcaagtgt tcggaggagc attccgctca 2280
ctgttcggag gcatgtcctg gataacgcaa ggattgctgg gggctctcct gttgtggatg 2340
ggcatcaatg ctcgtgatag gtccatagct ctcacgtttc tcgcagttgg aggagttctg 2400
ctcttcctct ccgtgaacgt gcacgctgac actgggtgtg ccataaacat cacccggcaa 2460
gagctgagat gtggaagtgg agtgttcata cacaatgatg tggaggcttg gatggaccgg 2520
tacaagtatt accctgaaac gccacaaggc ctagccaaga tcattcagaa agctcataag 2580
gaaggagtgt gcggtctacg atcagtttcc agactggagc atcaaatgtg ggaagcagtg 2640
aaggacgagc tgaacactcc tttgaaggag aatggtgtgg accttagtgt cgtggttgag 2700
aaacaggagg gaatgtacaa gtcagcacct aaacgcctca ccgccaccac ggaaaaattg 2760
gaaattggct ggaaggcctg gggaaagagt attttatttg caccagaact cgccaacaac 2820
acctttgtgg ttgatggtcc ggagaccaag gaatgtccga ctcagaatcg cgcttggaat 2880
agcttagaag tggaggattt tggatttggt ctcaccagca ctcggatgtt cctgaaggtc 2940
agagaaggca acacaactga atgtgactcg aagatcattg gaacggctgt caagaacaac 3000
ttggcgatcc acagtgacct gtcctattgg attgaaagca ggctcaatga tacgtggaag 3060
cttgaaaggg cagttctggg tgaagtcaaa tcatgtacgt ggcctgagac gcataccttg 3120
tggggcgatg gaatccttga gagtgacttg ataataccag tcacactggc gggaccacga 3180
agcaatcaca atcggagacc tgggtacaag acacaaaacc agggcccatg ggacgaaggc 3240
cgggtagaga ttgacttcga ttactgccca ggaactacgg tcaccctgag tgagagctgc 3300

ggacaccgtg gacctgccac tcgcaccacc acagagagcg gaaagttgat aacagattgg 3360
tgctgcagga gctgcacctt accaccactg cgctaccaaa ctgacagcgg ctgttggtat 3420
ggtatggaga tcagaccaca gagacatgat gaaaagaccc tcgtgcagtc acaagtgaat 3480
gcttataatg ctgatatgat tgacccttt cagttgggcc ttctggtcgt gttcttggcc 3540
acccaggagg tccttcgcaa gaggtggaca gccaagatca gcatgccagc tatactgatt 3600
gctctgctag tcctggtgtt tgggggcatt acttacactg atgtgttacg ctatgtcatc 3660
ttggtggggg cagctttcgc agaatctaat tcgggaggag acgtggtaca cttggcgctc 3720
atggcgacct tcaagataca accagtgttt atggtggcat cgtttctcaa agcgagatgg 3780
accaaccagg agaacatttt gttgatgttg gcggctgttt tctttcaaat ggcttatcac 3840
gatgcccgcc aaattctgct ctgggagatc cctgatgtgt tgaattcact ggcggtagct 3900
tggatgatac tgagagccat aacattcaca acgacatcaa acgtggttgt tccgctgcta 3960
gccctgctaa cacccgggct gagatgcttg aatctggatg tgtacaggat actgctgttg 4020
atggtcggaa taggcagctt gatcagggag aagaggagtg cagctgcaaa aaagaaagga 4080
gcaagtctgc tatgcttggc tctagcctca acaggacttt tcaaccccat gatccttgct 4140
gctggactga ttgcatgtga tcccaaccgt aaacgcggat ggcccgcaac tgaagtgatg 4200
acagctgtcg gcctaatgtt tgccatcgtc ggagggctgg cagagcttga cattgactcc 4260
atggccattc caatgactat cgcggggctc atgtttgctg ctttcgtgat ttctgggaaa 4320
tcaacagata tgtggattga gagaacggcg gacatttcct gggaaagtga tgcagaaatt 4380
acaggctcga gcgaaagagt tgatgtgcgg cttgatgatg atggaaactt ccagctcatg 4440
aatgatccag gagcaccttg gaagatatgg atgctcagaa tggtctgtct cgcgattagt 4500
gcgtacaccc cctgggcaat cttgccctca gtagttggat tttggataac tctccaatac 4560
acaaagagag gaggcgtgtt gtgggacact ccctcaccaa aggagtacaa aaaggggac 4620
accaccaccg gcgtttacag gatcatgact cgtgggctgc tcggcagtta tcaagcagga 4680
gcgggcgtga tggttgaagg tgttttccac acccttggc atacaacaaa aggagccgct 4740
ttgatgagcg gagagggccg cctggaccca tactggggca gtgtcaagga ggatcgactt 4800
tgttacggag gaccctggaa attgcagcac aagtggaacg ggcaggatga ggtgcagatg 4860
attgtggtgg aacctggcaa gaacgttaag aacgtccaga cgaaaccagg ggtgttcaaa 4920
acacctgaag gagaaatcgg ggccgtgact ttggacttcc ccactggaac atcaggctca 4980
ccaatagtgg acaaaaacgg tgatgtgatt gggctttatg gcaatggagt cataatgccc 5040
aacggctcat acataagcgc gatagtgcag ggtgaaagga tggatgagcc aatcccagcc 5100
ggattcgaac ctgagatgct gaggaaaaaa cagatcactg tactggatct ccatcccggc 5160
gccggtaaaa caaggaggat tctgccacag atcatcaaag aggccataaa cagaagactg 5220
agaacagccg tgctagcacc aaccagggtt gtggctgctg agatggctga agcactgaga 5280
ggactgccca tccggtacca gacatccgca gtgcccagag aacataatgg aaatgagatt 5340

gttgatgtca tgtgtcatgc taccctcacc cacaggctga tgtctcctca cagggtgccg 5400
aactacaacc tgttcgtgat ggatgaggct catttcaccg acccagctag cattgcagca 5460
agaggttaca tttccacaaa ggtcgagcta ggggaggcgg cggcaatatt catgacagcc 5520
accccaccag gcacttcaga tccattccca gagtccaatt caccaatttc cgacttacag 5580
actgagatcc cggatcgagc ttggaactct ggatacgaat ggatcacaga atacaccggg 5640
aagacggttt ggtttgtgcc tagtgtcaag atggggaatg agattgccct ttgcctacaa 5700
cgtgctggaa agaaagtagt ccaattgaac agaaagtcgt acgagacgga gtacccaaaa 5760
tgtaagaacg atgattggga ctttgttatc acaacagaca tatctgaaat gggggctaac 5820
ttcaaggcga gcagggtgat tgacagccgg aagagtgtga aaccaaccat cataacagaa 5880
ggagaaggga gagtgatcct gggagaacca tctgcagtga cagcagctag tgccgcccag 5940
agacgtggac gtatcggtag aaatccgtcg caagttggtg atgagtactg ttatgggggg 6000
cacacgaatg aagacgactc gaacttcgcc cattggactg aggcacgaat catgctggac 6060
aacatcaaca tgccaaacgg actgatcgct caattctacc aaccagagcg tgagaaggta 6120
tataccatgg atggggaata ccggctcaga ggagaagaga gaaaaaactt tctggaactg 6180
ttgaggactg cagatctgcc agtttggctg gcttacaagg ttgcagcggc tggagtgtca 6240
taccacgacc ggaggtggtg ctttgatggt cctaggacaa acacaatttt agaagacaac 6300
aacgaagtgg aagtcatcac gaagcttggt gaaaggaaga ttctgaggcc gcgctggatt 6360
gacgccaggg tgtactcgga tcaccaggca ctaaaggcgt tcaaggactt cgcctcggga 6420
aaacgttctc agatagggct cattgaggtt ctgggaaaga tgcctgagca cttcatgggg 6480
aagacatggg aagcacttga caccatgtac gttgtggcca ctgcagagaa aggaggaaga 6540
gctcacagaa tggccctgga ggaactgcca gatgctcttc agacaattgc cttgattgcc 6600
ttattgagtg tgatgaccat gggagtattc ttcctcctca tgcagcggaa gggcattgga 6660
aagataggtt tgggaggcgc tgtcttggga gtagcgacct ttttctgttg gatggctgaa 6720
gttccaggaa cgaagatcgc cggaatgttg ctgctctccc ttctcttgat gattgtgcta 6780
attcctgagc cagagaagca acgttcgcag acagacaacc agctagccgt gttcctgatt 6840
tgtgtcatga cccttgtgag cgcagtggca gccaacgaga tgggttggct agataagacc 6900
aagagtgaca taagcagttt gtttgggcaa agaattgagg tcaaggagaa tttcagcatg 6960
ggagagtttc ttctggactt gaggccggca acagcctggt cactgtacgc tgtgacaaca 7020
gcggtcctca ctccactgct aaagcatttg atcacgtcag attacatcaa cacctcattg 7080
acctcaataa acgttcaggc aagtgcacta ttcacactcg cgcgaggctt ccccttcgtc 7140
gatgttggag tgtcggctct cctgctagca gccggatgct ggggacaagt caccctcacc 7200
gttacggtaa cagcggcaac actccttttt tgccactatg cctacatggt tcccggttgg 7260
caagctgagg caatgcgctc agcccagcgg cggacagcgg ccggaatcat gaagaacgct 7320
gtagtggatg gcatcgtggc cacggacgtc ccagaattag agcgcaccac acccatcatg 7380

cagaagaaag ttggacagat catgctgatc ttggtgtctc tagctgcagt agtagtgaac 7440
ccgtctgtga agacagtacg agaagccgga attttgatca cggccgcagc ggtgacgctt 7500
tgggagaatg gagcaagctc tgtttggaac gcaacaactg ccatcggact ctgccacatc 7560
atgcgtgggg gttggttgtc atgtctatcc ataacatgga cactcataaa gaacatggaa 7620
aaaccagggc taaaaagagg tggggcaaaa ggacgcacct tgggagaggt ttggaaagaa 7680
agactcaacc agatgacaaa agaagagttc actaggtacc gcaaagaggc catcatcgaa 7740
gtcgatcgct cagcggcaaa acacgccagg aaagaaggca atgtcactgg agggcatcca 7800
gtctctaggg gcacagcaaa actgagatgg ctggtcgaac ggaggtttct cgaaccggtc 7860
ggaaaagtga ttgaccttgg atgtggaaga ggcggttggt gttactatat ggcaacccaa 7920
aaaagagtcc aagaagtcag agggtacaca aagggcggtc ccggacatga agagccccaa 7980
ctagtgcaaa gttatggatg gaacattgtc accatgaaga gtggagtgga tgtgttctac 8040
agaccttctg agtgttgtga caccctcctt tgtgacatcg gagagtcctc gtcaagtgct 8100
gaggttgaag agcataggac gattcgggtc cttgaaatgg ttgaggactg gctgcaccga 8160
gggccaaggg aattttgcgt gaaggtgctc tgcccctaca tgccgaaagt catagagaag 8220
atggagctgc tccaacgccg gtatgggggg ggactggtca gaaacccact ctcacggaat 8280
tccacgcacg agatgtattg ggtgagtcga gcttcaggca atgtggtaca ttcagtgaat 8340
atgaccagcc aggtgctcct aggaagaatg gaaaaaagga cctggaaggg accccaatac 8400
gaggaagatg taaacttggg aagtggaacc agggcggtgg gaaaacccct gctcaactca 8460
gacaccagta aaatcaagaa caggattgaa cgactcaggc gtgagtacag ttcgacgtgg 8520
caccacgatg agaaccaccc atatagaacc tggaactacc acggcagtta tgatgtgaag 8580
cccacaggct ccgccagttc gctggtcaat ggagtggtca ggctcctctc aaaaccatgg 8640
gacaccatca cgaatgttac caccatggcc atgactgaca ctactccctt cgggcagcag 8700
cgagtgttca aagagaaggt ggacacgaaa gctcctgaac cgccagaagg agtgaagtac 8760
gtgctcaacg agaccaccaa ctggttgtgg gcgtttttgg ccagagaaaa acgtcccaga 8820
atgtgctctc gagaggaatt cataagaaag gtcaacagca atgcagcttt gggtgccatg 8880
tttgaagagc agaatcaatg gaggagcgcc agagaagcag ttgaagatcc aaaattttgg 8940
gagatggtgg atgaggagcg cgaggcacat ctgcgggggg aatgtcacac ttgcatttac 9000
aacatgatgg gaaagagaga gaaaaaaccc ggagagttcg gaaaggccaa gggaagcaga 9060
gccatttggt tcatgtggct cggagctcgc tttctggagt tcgaggctct gggttttctc 9120
aatgaagacc actggcttgg aagaaagaac tcaggaggag gtgtcgaggg cttgggcctc 9180
caaaaactgg gttacatcct gcgtgaagtt ggcacccggc ctgggggcaa gatctatgct 9240
gatgacacag ctggctggga cacccgcatc acgagagctg acttggaaaa tgaagctaag 9300
gtgcttgagc tgcttgatgg ggaacatcgg cgtcttgcca gggccatcat tgagctcacc 9360
tatcgtcaca aagttgtgaa agtgatgcgc ccggctgctg atggaagaac cgtcatggat 9420

gttatctcca gagaagatca gaggggagt ggacaagttg tcacctacgc cctaaacact 9480

ttcaccaacc tggccgtcca gctggtgagg atgatggaag gggaaggagt gattggccca 9540

gatgatgtgg agaaactcac aaaagggaaa ggacccaaag tcaggacctg gctgtttgag 9600

aatggggaag aaagactcag ccgcatggct gtcagtggag atgactgtgt ggtaaagccc 9660

ctggacgatc gctttgccac ctcgctccac ttcctcaatg ctatgtcaaa ggttcgcaaa 9720

gacatccaag agtggaaacc gtcaactgga tggtatgatt ggcagcaggt tccattttgc 9780

tcaaaccatt tcactgaatt gatcatgaaa gatggaagaa cactggtggt tccatgccga 9840

ggacaggatg aattggtagg cagagctcgc atatctccag gggccggatg gaacgtccgc 9900

gacactgctt gtctggctaa gtcttatgcc cagatgtggc tgcttctgta cttccacaga 9960

agagacctgc ggctcatggc caacgccatt tgctccgctg tccctgtgaa ttgggtccct 10020

accggaagaa ccacgtggtc catccatgca ggaggagagt ggatgacaac agaggacatg 10080

ttggaggtct ggaaccgtgt ttggatagag gagaatgaat ggatggaaga caaaacccca 10140

gtggagaaat ggagtgacgt cccatattca ggaaaacgag aggacatctg gtgtggcagc 10200

ctgattggca caagagcccg agccacgtgg gcagaaaaca tccaggtggc tatcaaccaa 10260

gtcagagcaa tcatcggaga tgagaagtat gtggattaca tgagttcact aaagagatat 10320

gaagacacaa ctttggttga ggacacagta ctgtagatat ttaatcaatt gtaaatagac 10380

aatataagta tgcataaaag tgtagtttta tagtagtatt tagtggtgtt agtgtaaata 10440

gttaagaaaa ttttgaggag aaagtcaggc cgggaagttc ccgccaccgg aagttgagta 10500

gacggtgctg cctgcgactc aaccccagga ggactgggtg aacaaagccg cgaagtgatc 10560

catgtaagcc ctcagaaccg tctcggaagg aggaccccac atgttgtaac ttcaaagccc 10620

aatgtcagac cacgctacgg cgtgctactc tgcggagagt gcagtctgcg atagtgcccc 10680

aggaggactg ggttaacaaa ggcaaaccaa cgccccacgc ggccctagcc ccggtaatgg 10740

tgttaaccag ggcgaaagga ctagaggtta gaggagaccc cgcggtttaa agtgcacggc 10800

ccagcctggc tgaagctgta ggtcagggga aggactagag gttagtggag accccgtgcc 10860

acaaaacacc acaacaaaac agcatattga cacctgggat agactaggag atcttctgct 10920

ctgcacaacc agccacacgg cacag 10945

<210> 6
<211> 1542
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<220>
<221> misc_feature
<222> (896)..(896)
<223> n is a, c, g, or t

<400> 6
aaattgaaga gtttgatcat ggctcagatt gaacgctggc ggcaggccta acacatgcaa 60

gtcgaacggt aacaggaakc agcttgctga tttgctgacg agtggcggac gggtgagtaa 120

tgtctgggaa actgcctgat ggaggggat aactactgga aacggtagct aataccgcat 180

aacgtcgcaa gaccaaagag ggggaccttc gggcctcttg ccatcggatg tgcccagatg 240

ggattagcta gtaggtgggg taaaggctca cctaggcgac gatccctagc tggtctgaga 300

ggatgaccag ccacactgga actgagacac ggtccagact cctacgggag gcagcagtgg 360

ggaatattgc acaatgggcg caagcctgat gcagccatgc cgcgtgtatg aagaaggcct 420

tcgggttgta aagtactttc agcggggagg aagggagtaa agttaatacc tttgctcatt 480

gacgttaccc gcagaagaag caccggctaa ctccgtgcca gcagccgcgg taatacggag 540

ggtgcaagcg ttaatcggaa ttactgggcg taaagcgcac gcaggcggtt tgttaagtca 600

gatgtgaaat ccccgggctc aacctgggaa ctgcatctga tactggcaag cttgagtctc 660

gtagaggggg gtagaattcc aggtgtagcg gtgaaatgcg tagagatctg gaggaatacc 720

ggtggcgaag gcggcccccc ggacgaagac tgacgctcag gtgcgaaagc gtggggagca 780

aacaggatta gataccctgg tagtccacgc cgtaaacgat gtcgacttgg aggttgtgcc 840

cttgaggcgt ggcttccgga gctaacgcgt taagtckacc gcctggggag tacggncgca 900

aggttaaaac tcaaatgaat tgacgggggc ccgcacaagc ggtggagcat gtggtttaat 960

tcgatgcaac gcgaagaacc ttacctggtc ttgacatcca cagaactttc cagagatgga 1020

ttggtgcctt cgggaactgt gagacaggtg ctgcatggct gtcgtcagct cgtgttgtga 1080

aatgttgggt taagtcccgc aacgagcgca acccttatcc tttgttgcca gcggtccggc 1140

cgggaactca aaggagactg ccagtgataa actggaggaa ggtggggatg acgtcaagtc 1200

atcatggccc ttacgaccag ggctacacac gtgctacaat ggcgcataca aagagaagcg 1260

ayctcgcgag agcaagcgga cctcataaag tgcgtcgtag tccggattgg agtctgcaac 1320

tcgactccat gaagtcggaa tcgctagtaa tcgtggatca gaatgccacg gtgaatacgt 1380

tcccgggcct tgtacacacc gcccgtcaca ccatgggagt gggttgcaaa agaagtaggt 1440

agcttaacct tcgggagggc gcttaccact ttgtgattca tgactggggt gaagtcgtaa 1500

caaggtaacc gtaggggaac ctgcggttgg atcacctcct ta 1542

<210> 7
<211> 2905
<212> DNA
<213> Escherichia coli 23 S Ribosomal RNA

<400> 7
ggttaagcga ctaagcgtac acggtggatg ccctggcagt cagaggcgat gaaggacgtg 60

ctaatctgcg ataagcgtcg gtaaggtgat atgaaccgtt ataaccggcg atttccgaat 120

ggggaaaccc agtgtgtttc gacacactat cattaactga atccataggt taatgaggcg 180

aaccggggga actgaaacat ctaagtaccc cgaggaaaag aaatcaaccg agattccccc 240

agtagcggcg agcgaacggg gagcagccca gagcctgaat cagtgtgtgt gttagtggaa 300

gcgtctggaa aggcgcgcga tacagggtga cagccccgta cacaaaaatg cacatgctgt 360

gagctcgatg agtagggcgg gacacgtggt atcctgtctg aatatggggg gaccatcctc 420
caaggctaaa tactcctgac tgaccgatag tgaaccagta ccgtgaggga aaggcgaaaa 480
gaaccccggc gaggggagtg aaaaagaacc tgaaaccgtg tacgtacaag cagtgggagc 540
acgcttaggc gtgtgactgc gtacctttg tataatgggt cagcgactta tattctgtag 600
caaggttaac cgaatagggg agccgaaggg aaaccgagtc ttaactgggc gttaagttgc 660
agggtataga cccgaaaccc ggtgatctag ccatgggcag gttgaaggtt gggtaacact 720
aactggagga ccgaaccgac taatgttgaa aaattagcgg atgacttgtg gctgggggtg 780
aaaggccaat caaaccggga gatagctggt tctccccgaa agctatttag gtagcgcctc 840
gtgaattcat ctccgggggt agagcactgt ttcggcaagg gggtcatccc gacttaccaa 900
cccgatgcaa actgcgaata ccggagaatg ttatcacggg agacacacgg cgggtgctaa 960
cgtccgtcgt gaagagggaa acaacccaga ccgccagcta aggtcccaaa gtcatggtta 1020
agtgggaaac gatgtgggaa ggcccagaca gccaggatgt tggcttagaa gcagccatca 1080
tttaaagaaa gcgtaatagc tcactggtcg agtcggcctg cgcggaagat gtaacggggc 1140
taaaccatgc accgaagctg cggcagcgac gcttatgcgt tgttgggtag gggagcgttc 1200
tgtaagcctg cgaaggtgtg ctgtgaggca tgctggaggt atcagaagtg cgaatgctga 1260
cataagtaac gataaagcgg gtgaaaagcc cgctcgccgg aagaccaagg gttcctgtcc 1320
aacgttaatc ggggcagggt gagtcgaccc ctaaggcgag gccgaaaggc gtagtcgatg 1380
ggaaacaggt taatattcct gtacttggtg ttactgcgaa ggggggacgg agaaggctat 1440
gttggccggg cgacggttgt cccggtttaa gcgtgtaggc tggttttcca ggcaaatccg 1500
gaaaatcaag gctgaggcgt gatgacgagg cactacggtg ctgaagcaac aaatgccctg 1560
cttccaggaa aagcctctaa gcatcaggta acatcaaatc gtaccccaaa ccgacacagg 1620
tggtcaggta gagaatacca aggcgcttga gagaactcgg gtgaaggaac taggcaaaat 1680
ggtgccgtaa cttcgggaga aggcacgctg atatgtaggt gaagcgactt gctcgtggag 1740
ctgaaatcag tcgaagatac cagctggctg caactgttta ttaaaaacac agcactgtgc 1800
aaacacgaaa gtggacgtat acggtgtgac gcctgcccgg tgccggaagg ttaattgatg 1860
gggttagcgg taacgcgaag ctcttgatcg aagccccggt aaacggcggc cgtaactata 1920
acggtcctaa ggtagcgaaa ttccttgtcg ggtaagttcc gacctgcacg aatggcgtaa 1980
tgatggccag gctgtctcca cccgagactc agtgaaattg aactcgctgt gaagatgcag 2040
tgtacccgcg gcaagacgga aagaccccgt gaacctttac tatagcttga cactgaacat 2100
tgagccttga tgtgtaggat aggtgggagg ctttgaagtg tggacgccag tctgcatgga 2160
gccgaccttg aaataccacc ctttaatgtt tgatgttcta acgttggccc gtaatccggg 2220
ttgcggacag tgtctggtgg gtagtttgac tggggcggtc tcctcctaaa gagtaacgga 2280
ggagcacgaa ggttggctaa tcctggtcgg acatcaggag gttagtgcaa tggcataagc 2340
cagcttgact gcgagcgtga cggcgcgagc aggtgcgaaa gcaggtcata gtgatccggt 2400

ggttctgaat ggaagggcca tcgctcaacg gataaaaggt actccgggga taacaggctg 2460

ataccgccca agagttcata tcgacggcgg tgtttggcac ctcgatgtcg gctcatcaca 2520

tcctggggct gaagtaggtc ccaagggtat ggctgttcgc catttaaagt ggtacgcgag 2580

ctgggtttag aacgtcgtga gacagttcgg tccctatctg ccgtgggcgc tggagaactg 2640

agggggctg ctcctagtac gagaggaccg gagtggacgc atcactggtg ttcgggttgt 2700

catgccaatg cactgcccgg tagctaaatg cggaagagat aagtgctgaa agcatctaag 2760

cacgaaactt gccccgagat gagttctccc tgacccttta agggtcctga aggaacgttg 2820

aagacgacga cgttgatagg ccgggtgtgt aagcgcagcg atgcgttgag ctaaccggta 2880

ctaatgaacc gtgaggctta acctt 2905

<210> 8
<211> 1798
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 8
tatctggttg atcctgccag tagtcatatg cttgtctcaa agattaagcc atgcatgtct 60

aagtataagc aatttataca gtgaaactgc gaatggctca ttaaatcagt tatcgtttat 120

ttgatagttc ctttactaca tggtataacc gtggtaattc tagagctaat acatgcttaa 180

aatctcgacc ctttggaaga gatgtattta ttagataaaa aatcaatgtc ttcggactct 240

ttgatgattc ataataactt ttcgaatcgc atggccttgt gctggcgatg gttcattcaa 300

atttctgccc tatcaacttt cgatggtagg atagtggcct accatggttt caacgggtaa 360

cggggaataa gggttcgatt ccggagaggg agcctgagaa acggctacca catccaagga 420

aggcagcagg cgcgcaaatt acccaatcct aattcaggga ggtagtgaca ataaataacg 480

atacagggcc cattcgggtc ttgtaattgg aatgagtaca atgtaaatac cttaacgagg 540

aacaattgga gggcaagtct ggtgccagca gccgcggtaa ttccagctcc aatagcgtat 600

attaaagttg ttgcagttaa aaagctcgta gttgaacttt gggcccggtt ggccggtccg 660

atttttttcgt gtactggatt tccaacgggg cctttccttc tggctaacct tgagtccttg 720

tggctcttgg cgaaccagga cttttacttt gaaaaaatta gagtgttcaa agcaggcgta 780

ttgctcgaat atattagcat ggaataatag aataggacgt ttggttctat tttgttggtt 840

tctaggacca tcgtaatgat taatagggac ggtcgggggc atcggtattc aattgtcgag 900

gtgaaattct tggatttatt gaagactaac tactgcgaaa gcatttgcca aggacgtttt 960

cattaatcaa gaacgaaagt taggggatcg aagatgatct ggtaccgtcg tagtcttaac 1020

ataaactat gccgactaga tcgggtggtg ttttttaat gacccactcg gtaccttacg 1080

agaaatcaaa gtctttgggt tctgggggga gtatggtcgc aaggctgaaa cttaaaggaa 1140

ttgacggaag ggcaccacta ggagtggagc ctgcggctaa tttgactcaa cacggggaaa 1200

ctcaccaggt ccagacacaa taaggattga cagattgaga gctctttctt gattttgtgg 1260

gtggtggtgc atggccgttt ctcagttggt ggagtgattt gtctgcttaa ttgcgataac 1320

gaacgagacc ttaacctact aaatagtggt gctagcattt gctggttatc cacttcttag 1380

agggactatc ggtttcaagc cgatggaagt ttgaggcaat aacaggtctg tgatgccctt 1440

agaacgttct gggccgcacg cgcgctacac tgacggagcc agcgagtcta accttggccg 1500

agaggtcttg gtaatcttgt gaaactccgt cgtgctgggg atagagcatt gtaattattg 1560

ctcttcaacg aggaattcct agtaagcgca agtcatcagc ttgcgttgat tacgtccctg 1620

ccctttgtac acaccgcccg tcgctagtac cgattgaatg gcttagtgag gcctcaggat 1680

ctgcttagag aaggggggcaa ctccatctca gagcggagaa tttggacaaa cttggtcatt 1740

tagaggaact aaaagtcgta acaaggtttc cgtaggtgaa cctgcggaag gatcatta 1798

<210> 9
<211> 3911
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 9
aattccgtga tgggccttta ggttttacca actgcggcta atctttttt atactgagcg 60

tattggaacg ttatcgataa gaagagagcg tctaggcgaa caatgttctt aaagtttgac 120

ctcaaatcag gtaggagtac ccgctgaact taagcatatc aataagcgga ggaaaagaaa 180

ccaaccggat tgccttagta acggcgagtg aagcggcaaa agctcaaatt tgaaatctgg 240

taccttcggt gcccgagttg taatttggag agggcaactt tggggccgtt ccttgtctat 300

gttccttgga acaggacgtc atagagggtg agcatcccgt gtggcgagga gtgcggttct 360

ttgtaaagtg ccttcgaaga gtcgagttgt ttgggaatgc agctctaagt gggtggtaaa 420

ttccatctaa agctaaatat tggcgagaga ccgatagcga acaagtacag tgatggaaag 480

atgaaaagaa ctttgaaaag agagtgaaaa agtacgtgaa attgttgaaa gggaagggca 540

tttgatcaga catggtgttt tgtgccctct gctccttgtg ggtaggggaa tctcgcattt 600

cactgggcca gcatcagttt tggtggcagg ataaatccat aggaatgtag cttgcctcgg 660

taagtattat agcctgtggg aatactgcca gctgggactg aggactgcga cgtaagtcaa 720

ggatgctggc ataatggtta tatgccgccc gtcttgaaac acggaccaag gagtctaacg 780

tctatgcgag tgtttgggtg taaaacccat acgcgtaatg aaagtgaacg taggttgggg 840

cctcgcaaga ggtgcacaat cgaccgatcc tgatgtcttc ggatggattt gagtaagagc 900

atagctgttg ggacccgaaa gatggtgaac tatgcctgaa tagggtgaag ccagaggaaa 960

ctctggtgga ggctcgtagc ggttctgacg tgcaaatcga tcgtcgaatt tgggtatagg 1020

ggcgaaagac taatcgaacc atctagtagc tggttcctgc cgaagtttcc ctcaggatag 1080

cagaagctcg tatcagtttt atgaggtaaa gcgaatgatt agaggttccg gggtcgaaat 1140

gaccttgacc tattctcaaa ctttaaatat gtaagaagtc cttgttactt aattgaacgt 1200

ggacatttga atgaagagct tttagtgggc cattttggt aagcagaact ggcgatgcgg 1260

gatgaaccga acgtagagtt aaggtgccgg aatacacgct catcagacac cacaaaaggt 1320

gttagttcat ctagacagcc ggacggtggc catggaagtc ggaatccgct aaggagtgtg 1380

taacaactca ccggccgaat gaactagccc tgaaaatgga tggcgctcaa gcgtgttacc 1440

tatactctac cgtcagggtt gatatgatgc cctgacgagt aggcaggcgt ggaggtcagt 1500

gacgaagcct agaccgtaag gtcgggtcga acggcctcta gtgcagatct tggtggtagt 1560

agcaaatatt caaatgagaa ctttgaagac tgaagtgggg aaaggttcca cgtcaacagc 1620

agttggacgt gggttagtcg atcctaagag atggggaagc tccgtttcaa aggcctgatt 1680

ttatgcaggc caccatcgaa agggaatccg gtaagattcc ggaacttgga tatggattct 1740

tcacggtaac gtaactgaat gtggagacgt cggcgcgagc cctgggagga gttatctttt 1800

cttcttaaca gcttatcacc ccggaattgg tttatccgga gatggggtct tatggctgga 1860

agaggccagc acctttgctg gctccggtgc gcttgtgacg gcccgtgaaa atccacagga 1920

aggaatagtt ttcatgctag gtcgtactga taaccgcagc aggtctccaa ggtgaacagc 1980

ctctagttga tagaataatg tagataaggg aagtcggcaa aatagatccg taacttcggg 2040

ataaggattg gctctaaggg tcgggtagtg agggccttgg tcagacgcag cgggcgtgct 2100

tgtggactgc ttggtggggc ttgctctgct aggcggacta cttgcgtgcc ttgttgtaga 2160

cggccttggt aggtctcttg tagaccgtcg cttgctacaa ttaacagatc aacttagaac 2220

tggtacggac aaggggaatc tgactgtcta attaaaacat agcattgcga tggtcagaaa 2280

gtgatgttga cgcaatgtga tttctgccca gtgctctgaa tgtcaaagtg aagaaattca 2340

accaagcgcg agtaaacggc gggagtaact atgactctct taaggtagcc aaatgcctcg 2400

tcatctaatt agtgacgcgc atgaatggat taacgagatt cccactgtcc ctatctacta 2460

tctagcgaaa ccacagccaa gggaacgggc ttggcagaat cagcggggaa agaagaccct 2520

gttgagcttg actctagttt gacattgtga agagacatag agggtgtaga ataagtggga 2580

gcttcggcgc cagtgaaata ccactacctt tatagtttct ttacttattc aatgaagcgg 2640

agctggaatt cattttccac gttctagcat tcaaggtccc attcggggct gatccgggtt 2700

gaagacattg tcaggtgggg agtttggctg gggcggcaca tctgttaaac gataacgcag 2760

atgtcctaag gggggctcat ggagaacaga aatctccagt agaacaaaag ggtaaagccc 2820

cttagtttga tttcagtgtg aatacaaacc attgaaagtg tggcctatcg atcctttagt 2880

ccctcggaat ttgaggctag aggtgccaga aaagttacca cagggataac tggcttgtgg 2940

cagtcaagcg ttcatagcga cattgctttt tgattcttcg atgtcggctc ttcctatcat 3000

accgaagcag aattcggtaa gcgttggatt gttcacccac taatagggaa catgagctgg 3060

gtttagaccg tcgtgagaca ggttagtttt accctactga tgaatgttac cagcaatagt 3120

aattgaactt agtacgagag gaacagttca ttcggataat tggtttttgc ggctgtctga 3180

tcaggcattg ccgcgaagca ccatccgctg gattatggct gaacgcctct aagtcagaat 3240

ccatgctaga acgcggtgat ttctttgctc cacacaatat agatggatac gaataaggcg 3300

tccttgtggc gtcgctgaac catagcaggc tagcaacggt gcacttggcg gaaaggcctt 3360

gggtgcttgc tggcgaattg caatgtcatt ttgcgtgggg ataaatcatt tgtatacgac 3420

ttagatgtac aacggggtat tgtaagcggt agagtagcct tgttgttacg atctgctgag 3480

attaagcctt tgttgtctga tttgtttttt atttctttct aagtgggtac tggcaggagc 3540

cggggcctag tttagagaga agtagactca acaagtctct ataaatttta tttgtcttaa 3600

gaattctatg atccgggtaa aaacatgtat tgtatatatc tattataata tacgatgagg 3660

atgatagtgt gtaagagtgt accatttact aatgtatgta agttactatt tactatttgg 3720

tctttttatt ttttatttt ttttttttt tcgttgcaaa gatgggttga aagagaaggg 3780

ctttcacaaa gcttcccgag cgtgaaagga tttgcccgga cagtttgctt catggagcag 3840

ttttttccgc accatcagag cggcaaacat gagtgcttgt ataagtttag agaattgaga 3900

aaagctcatt t 3911

<210> 10
<211> 16569
<212> DNA
<213> Human mitochondrial DNA

<400> 10
gatcacaggt ctatcaccct attaaccact cacgggagct ctccatgcat ttggtatttt 60

cgtctggggg gtatgcacgc gatagcattg cgagacgctg gagccggagc accctatgtc 120

gcagtatctg tctttgattc ctgcctcatc ctattattta tcgcacctac gttcaatatt 180

acaggcgaac atacttacta aagtgtgtta attaattaat gcttgtagga cataataata 240

acaattgaat gtctgcacag ccactttcca cacagacatc ataacaaaaa atttccacca 300

aacccccccct cccccgcttc tggccacagc acttaaacac atctctgcca aaccccaaaa 360

acaaagaacc ctaacaccag cctaaccaga tttcaaattt tatcttttgg cggtatgcac 420

ttttaacagt caccccccaa ctaacacatt attttccccct cccactccca tactactaat 480

ctcatcaata caacccccgc ccatcctacc cagcacacac acaccgctgc taaccccata 540

ccccgaacca accaaacccc aaagacaccc cccacagttt atgtagctta cctcctcaaa 600

gcaatacact gaaaatgttt agacgggctc acatcacccc ataaacaaat aggtttggtc 660

ctagcctttc tattagctct tagtaagatt acacatgcaa gcatccccgt tccagtgagt 720

tcaccctcta aatcaccacg atcaaaaggg acaagcatca agcacgcagc aatgcagctc 780

aaaacgctta gcctagccac acccccacgg gaaacagcag tgattaacct ttagcaataa 840

acgaaagttt aactaagcta tactaacccc agggttggtc aatttcgtgc cagccaccgc 900

ggtcacacga ttaacccaag tcaatagaag ccggcgtaaa gagtgtttta gatcaccccc 960

tccccaataa agctaaaact cacctgagtt gtaaaaaact ccagttgaca caaaatagac 1020

tacgaaagtg gctttaacat atctgaacac acaatagcta agacccaaac tgggattaga 1080

taccccacta tgcttagccc taaacctcaa cagttaaatc aacaaaactg ctcgccagaa 1140

cactacgagc cacagcttaa aactcaaagg acctggcggt gcttcatatc cctctagagg 1200

agcctgttct gtaatcgata aaccccgatc aacctcacca cctcttgctc agcctatata 1260
ccgccatctt cagcaaaccc tgatgaaggc tacaaagtaa gcgcaagtac ccacgtaaag 1320
acgttaggtc aaggtgtagc ccatgaggtg gcaagaaatg ggctacattt tctaccccag 1380
aaaactacga tagcccttat gaaacttaag ggtcgaaggt ggatttagca gtaaactaag 1440
agtagagtgc ttagttgaac agggccctga agcgcgtaca caccgcccgt caccctcctc 1500
aagtatactt caaaggacat ttaactaaaa cccctacgca tttatataga ggagacaagt 1560
cgtaacatgg taagtgtact ggaaagtgca cttggacgaa ccagagtgta gcttaacaca 1620
aagcacccaa cttacactta ggagatttca acttaacttg accgctctga gctaaaccta 1680
gccccaaacc cactccacct tactaccaga caaccttagc caaaccattt acccaaataa 1740
agtataggcg atagaaattg aaacctggcg caatagatat agtaccgcaa gggaaagatg 1800
aaaaattata accaagcata atatagcaag gactaacccc tataccttct gcataatgaa 1860
ttaactagaa ataactttgc aaggagagcc aaagctaaga cccccgaaac cagacgagct 1920
acctaagaac agctaaaaga gcacacccgt ctatgtagca aaatagtggg aagatttata 1980
ggtagaggcg acaaacctac cgagcctggt gatagctggt tgtccaagat agaatcttag 2040
ttcaacttta aatttgccca cagaaccctc taaatcccct tgtaaattta actgttagtc 2100
caaagaggaa cagctctttg gacactagga aaaaaccttg tagagagagt aaaaaattta 2160
acacccatag taggcctaaa agcagccacc aattaagaaa gcgttcaagc tcaacaccca 2220
ctacctaaaa aatcccaaac atataactga actcctcaca cccaattgga ccaatctatc 2280
accctataga agaactaatg ttagtataag taacatgaaa acattctcct ccgcataagc 2340
ctgcgtcaga ttaaaacact gaactgacaa ttaacagccc aatatctaca atcaaccaac 2400
aagtcattat taccctcact gtcaacccaa cacaggcatg ctcataagga aaggttaaaa 2460
aaagtaaaag gaactcggca aatcttaccc cgcctgttta ccaaaaacat cacctctagc 2520
atcaccagta ttagaggcac cgcctgccca gtgacacatg tttaacggcc gcggtaccct 2580
aaccgtgcaa aggtagcata atcacttgtt ccttaaatag ggacctgtat gaatggctcc 2640
acgagggttc agctgtctct tacttttaac cagtgaaatt gacctgcccg tgaagaggcg 2700
ggcataacac agcaagacga gaagacccta tggagcttta atttattaat gcaaacagta 2760
cctaacaaac ccacaggtcc taaactacca aacctgcatt aaaaatttcg gttggggcga 2820
cctcggagca gaacccaacc tccgagcagt acatgctaag acttcaccag tcaaagcgaa 2880
ctactatact caattgatcc aataacttga ccaacggaac aagttaccct agggataaca 2940
gcgcaatcct attctagagt ccatatcaac aatagggttt acgacctcga tgttggatca 3000
ggacatcccg atggtgcagc cgctattaaa ggttcgtttg ttcaacgatt aaagtcctac 3060
gtgatctgag ttcagaccgg agtaatccag gtcggtttct atctaccttc aaattcctcc 3120
ctgtacgaaa ggacaagaga aataaggcct acttcacaaa gcgccttccc ccgtaaatga 3180
tatcatctca acttagtatt atacccacac ccacccaaga acagggtttg ttaagatggc 3240

agagcccggt aatcgcataa aacttaaaac tttacagtca gaggttcaat tcctcttctt 3300
aacaacatac ccatggccaa cctcctactc ctcattgtac ccattctaat cgcaatggca 3360
ttcctaatgc ttaccgaacg aaaaattcta ggctatatac aactacgcaa aggccccaac 3420
gttgtaggcc cctacgggct actacaaccc ttcgctgacg ccataaaact cttcaccaaa 3480
gagcccctaa aacccgccac atctaccatc accctctaca tcaccgcccc gaccttagct 3540
ctcaccatcg ctcttctact atgaaccccc ctccccatac ccaaccccct ggtcaacctc 3600
aacctaggcc tcctatttat tctagccacc tctagcctag ccgtttactc aatcctctga 3660
tcagggtgag catcaaactc aaactacgcc ctgatcggcg cactgcgagc agtagcccaa 3720
acaatctcat atgaagtcac cctagccatc attctactat caacattact aataagtggc 3780
tcctttaacc tctccaccct tatcacaaca caagaacacc tctgattact cctgccatca 3840
tgacccttgg ccataatatg atttatctcc acactagcag agaccaaccg aacccccttc 3900
gaccttgccg aaggggagtc cgaactagtc tcaggcttca acatcgaata cgccgcaggc 3960
cccttcgccc tattcttcat agccgaatac acaaacatta ttataataaa caccctcacc 4020
actacaatct tcctaggaac aacatatgac gcactctccc ctgaactcta cacaacatat 4080
tttgtcacca agaccctact tctaacctcc ctgttcttat gaattcgaac agcatacccc 4140
cgattccgct acgaccaact catacacctc ctatgaaaaa acttcctacc actcacccta 4200
gcattactta tatgatatgt ctccataccc attacaatct ccagcattcc ccctcaaacc 4260
taagaaatat gtctgataaa agagttactt tgatagagta aataatagga gcttaaaccc 4320
ccttatttct aggactatga gaatcgaacc catccctgag aatccaaaat tctccgtgcc 4380
acctatcaca ccccatccta aagtaaggtc agctaaataa gctatcgggc ccataccccg 4440
aaaatgttgg ttataccctt cccgtactaa ttaatccccc ggcccaaccc gtcatctact 4500
ctaccatctt tgcaggcaca ctcatcacag cgctaagctc gcactgattt tttacctgag 4560
taggcctaga aataaacatg ctagctttta ttccagttct aaccaaaaaa ataaaccctc 4620
gttccacaga agctgccatc aagtatttcc tcacgcaagc aaccgcatcc ataatccttc 4680
taatagctat cctcttcaac aatatactct ccggacaatg aaccataacc aatactacca 4740
atcaatactc atcattaata atcataatag ctatagcaat aaaactagga atagcccccc 4800
ttcacttctg agtcccagag gttacccaag gcacccctct gacatccggc ctgcttcttc 4860
tcacatgaca aaaactagcc cccatctcaa tcatatacca aatctctccc tcactaaacg 4920
taagccttct cctcactctc tcaatcttat ccatcatagc aggcagttga ggtggattaa 4980
accagaccca gctacgcaaa atcttagcat actcctcaat tacccacata ggatgaataa 5040
tagcagttct accgtacaac cctaacataa ccattcttaa tttaactatt tatattatcc 5100
taactactac cgcattccta ctactcaact taaactccag caccacgacc ctactactat 5160
ctcgcacctg aaacaagcta acatgactaa cacccttaat tccatccacc ctcctctccc 5220
taggaggcct gcccccgcta accggctttt tgcccaaatg ggccattatc gaagaattca 5280

caaaaaacaa tagcctcatc atccccacca tcatagccac catcaccctc cttaacctct 5340
acttctacct acgcctaatc tactccacct caatcacact actccccata tctaacaacg 5400
taaaaataaa atgacagttt gaacatacaa aacccacccc attcctcccc acactcatcg 5460
cccttaccac gctactccta cctatctccc cttttatact aataatctta tagaaattta 5520
ggttaaatac agaccaagag ccttcaaagc cctcagtaag ttgcaatact taatttctgt 5580
aacagctaag gactgcaaaa ccccactctg catcaactga acgcaaatca gccactttaa 5640
ttaagctaag cccttactag accaatggga cttaaaccca caaacactta gttaacagct 5700
aagcacccta atcaactggc ttcaatctac ttctcccgcc gccgggaaaa aaggcgggag 5760
aagccccggc aggtttgaag ctgcttcttc gaatttgcaa ttcaatatga aaatcacctc 5820
ggagctggta aaaagaggcc taacccctgt ctttagattt acagtccaat gcttcactca 5880
gccattttac ctcaccccca ctgatgttcg ccgaccgttg actattctct acaaaccaca 5940
aagacattgg aacactatac ctattattcg gcgcatgagc tggagtccta ggcacagctc 6000
taagcctcct tattcgagcc gagctgggcc agccaggcaa ccttctaggt aacgaccaca 6060
tctacaacgt tatcgtcaca gcccatgcat ttgtaataat cttcttcata gtaataccca 6120
tcataatcgg aggctttggc aactgactag ttcccctaat aatcggtgcc cccgatatgg 6180
cgtttccccg cataaacaac ataagcttct gactcttacc tccctctctc ctactcctgc 6240
tcgcatctgc tatagtggag gccggagcag gaacaggttg aacagtctac cctcccttag 6300
cagggaacta ctcccaccct ggagcctccg tagacctaac catcttctcc ttacacctag 6360
caggtgtctc ctctatctta ggggccatca atttcatcac aacaattatc aatataaaac 6420
cccctgccat aacccaatac caaacgcccc tcttcgtctg atccgtccta atcacagcag 6480
tcctacttct cctatctctc ccagtcctag ctgctggcat cactatacta ctaacagacc 6540
gcaacctcaa caccaccttc ttcgaccccg ccggaggagg agaccccatt ctataccaac 6600
acctattctg atttttcggt caccctgaag tttatattct tatcctacca ggcttcggaa 6660
taatctccca tattgtaact tactactccg gaaaaaaaga accatttgga tacataggta 6720
tggtctgagc tatgatatca attggcttcc tagggtttat cgtgtgagca caccatatat 6780
ttacagtagg aatagacgta gacacacgag catatttcac ctccgctacc ataatcatcg 6840
ctatccccac cggcgtcaaa gtatttagct gactcgccac actccacgga agcaatatga 6900
aatgatctgc tgcagtgctc tgagccctag gattcatctt tcttttcacc gtaggtggcc 6960
tgactggcat tgtattagca aactcatcac tagacatcgt actacacgac acgtactacg 7020
ttgtagccca cttccactat gtcctatcaa taggagctgt atttgccatc ataggaggct 7080
tcattcactg atttccccta ttctcaggct acaccctaga ccaaacctac gccaaaatcc 7140
atttcactat catattcatc ggcgtaaatc taactttctt cccacaacac tttctcggcc 7200
tatccggaat gccccgacgt tactcggact accccgatgc atacaccaca tgaaacatcc 7260
tatcatctgt aggctcattc atttctctaa cagcagtaat attaataatt ttcatgattt 7320

gagaagcctt cgcttcgaag cgaaaagtcc taatagtaga agaaccctcc ataaacctgg 7380
agtgactata tggatgcccc ccaccctacc acacattcga agaacccgta tacataaaat 7440
ctagacaaaa aaggaaggaa tcgaaccccc caaagctggt ttcaagccaa ccccatggcc 7500
tccatgactt tttcaaaaag gtattagaaa aaccatttca taactttgtc aaagttaaat 7560
tataggctaa atcctatata tcttaatggc acatgcagcg caagtaggtc tacaagacgc 7620
tacttcccct atcatagaag agcttatcac ctttcatgat cacgccctca taatcatttt 7680
ccttatctgc ttcctagtcc tgtatgccct tttcctaaca ctcacaacaa aactaactaa 7740
tactaacatc tcagacgctc aggaaataga aaccgtctga actatcctgc ccgccatcat 7800
cctagtcctc atcgccctcc catccctacg catcctttac ataacagacg aggtcaacga 7860
tccctccctt accatcaaat caattggcca ccaatggtac tgaacctacg agtacaccga 7920
ctacggcgga ctaatcttca actcctacat acttccccca ttattcctag aaccaggcga 7980
cctgcgactc cttgacgttg acaatcgagt agtactcccg attgaagccc ccattcgtat 8040
aataattaca tcacaagacg tcttgcactc atgagctgtc cccacattag gcttaaaaac 8100
agatgcaatt cccggacgtc taaaccaaac cactttcacc gctacacgac cgggggtata 8160
ctacggtcaa tgctctgaaa tctgtggagc aaaccacagt ttcatgccca tcgtcctaga 8220
attaattccc ctaaaaatct ttgaaatagg gcccgtattt accctatagc acccccctcta 8280
ccccctctag agcccactgt aaagctaact tagcattaac cttttaagtt aaagattaag 8340
agaaccaaca cctctttaca gtgaaatgcc ccaactaaat actaccgtat ggcccaccat 8400
aattaccccc atactcctta cactattcct catcacccaa ctaaaaatat taaacacaaa 8460
ctaccaccta cctccctcac caaagcccat aaaaataaaa aattataaca aaccctgaga 8520
accaaaatga acgaaaatct gttcgcttca ttcattgccc ccacaatcct aggcctaccc 8580
gccgcagtac tgatcattct atttcccccc ctattgatcc ccacctccaa atatctcatc 8640
aacaaccgac taatcaccac ccaacaatga ctaatcaaac taacctcaaa acaaatgata 8700
accatacaca acactaaagg acgaacctga tctcttatac tagtatcctt aatcattttt 8760
attgccacaa ctaacctcct cggactcctg cctcactcat ttacaccaac cacccaacta 8820
tctataaacc tagccatggc catcccctta tgagcgggca cagtgattat aggctttcgc 8880
tctaagatta aaaatgccct agcccacttc ttaccacaag gcacacctac accccttatc 8940
cccatactag ttattatcga aaccatcagc ctactcattc aaccaatagc cctggccgta 9000
cgcctaaccg ctaacattac tgcaggccac ctactcatgc acctaattgg aagcgccacc 9060
ctagcaatat caaccattaa ccttcctct acacttatca tcttcacaat tctaattcta 9120
ctgactatcc tagaaatcgc tgtcgcctta atccaagcct acgttttcac acttctagta 9180
agcctctacc tgcacgacaa cacataatga cccaccaatc acatgcctat catatagtaa 9240
aacccagccc atgaccccta acaggggccc tctcagccct cctaatgacc tccggcctag 9300
ccatgtgatt tcacttccac tccataacgc tcctcatact aggcctacta accaacacac 9360

taaccatata ccaatgatgg cgcgatgtaa cacgagaaag cacataccaa ggccaccaca 9420
caccacctgt ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt 9480
ttttcttcgc aggatttttc tgagcctttt accactccag cctagcccct acccccaat 9540
taggagggca ctggccccca acaggcatca ccccgctaaa tcccctagaa gtcccactcc 9600
taaacacatc cgtattactc gcatcaggag tatcaatcac ctgagctcac catagtctaa 9660
tagaaaacaa ccgaaaccaa ataattcaag cactgcttat tacaatttta ctgggtctct 9720
attttaccct cctacaagcc tcagagtact tcgagtctcc cttcaccatt tccgacggca 9780
tctacggctc aacatttttt gtagccacag gcttccacgg acttcacgtc attattggct 9840
caactttcct cactatctgc ttcatccgcc aactaatatt tcactttaca tccaaacatc 9900
actttggctt cgaagccgcc gcctgatact ggcattttgt agatgtggtt tgactatttc 9960
tgtatgtctc catctattga tgagggtctt actcttttag tataaatagt accgttaact 10020
tccaattaac tagttttgac aacattcaaa aaagagtaat aaacttcgcc ttaattttaa 10080
taatcaacac cctcctagcc ttactactaa taattattac attttgacta ccacaactca 10140
acggctacat agaaaaatcc accccttacg agtgcggctt cgaccctata tcccccgccc 10200
gcgtcccttt ctccataaaa ttcttcttag tagctattac cttcttatta tttgatctag 10260
aaattgccct ccttttaccc ctaccatgag ccctacaaac aactaacctg ccactaatag 10320
ttatgtcatc cctcttatta atcatcatcc tagccctaag tctggcctat gagtgactac 10380
aaaaaggatt agactgaacc gaattggtat atagtttaaa caaaacgaat gatttcgact 10440
cattaaatta tgataatcat atttaccaaa tgcccctcat ttacataaat attatactag 10500
catttaccat ctcacttcta ggaatactag tatatcgctc acacctcata tcctccctac 10560
tatgcctaga aggaataata ctatcgctgt tcattatagc tactctcata accctcaaca 10620
cccactccct cttagccaat attgtgccta ttgccatact agtctttgcc gcctgcgaag 10680
cagcggtggg cctagcccta ctagtctcaa tctccaacac atatggccta gactacgtac 10740
ataacctaaa cctactccaa tgctaaaact aatcgtccca acaattatat tactaccact 10800
gacatgactt tccaaaaaac acataatttg aatcaacaca accacccaca gcctaattat 10860
tagcatcatc cctctactat tttttaacca aatcaacaac aacctattta gctgttcccc 10920
aacctttttcc tccgacccCc taacaacccc cctcctaata ctaactacct gactcctacc 10980
cctcacaatc atggcaagcc aacgccactt atccagtgaa ccactatcac gaaaaaaact 11040
ctacctctct atactaatct ccctacaaat ctccttaatt ataacattca cagccacaga 11100
actaatcata ttttatatct tcttcgaaac cacacttatc cccaccttgg ctatcatcac 11160
ccgatgaggc aaccagccag aacgcctgaa cgcaggcaca tacttcctat tctacaccct 11220
agtaggctcc cttcccctac tcatcgcact aatttacact cacaacaccc taggctcact 11280
aaacattcta ctactcactc tcactgccca agaactatca aactcctgag ccaataactt 11340
aatatgacta gcttacacaa tagcttttat agtaaagata cctctttacg gactccactt 11400

atgactccct aaagcccatg tcgaagcccc catcgctggg tcaatagtac ttgccgcagt 11460
actcttaaaa ctaggcggct atggtataat acgcctcaca ctcattctca acccccctgac 11520
aaaacacata gcctacccct tccttgtact atccctatga ggcataatta taacaagctc 11580
catctgccta cgacaaacag acctaaaatc gctcattgca tactcttcaa tcagccacat 11640
agccctcgta gtaacagcca ttctcatcca aacccccctga agcttcaccg gcgcagtcat 11700
tctcataatc gcccacgggc ttacatcctc attactattc tgcctagcaa actcaaacta 11760
cgaacgcact cacagtcgca tcataatcct ctctcaagga cttcaaactc tactcccact 11820
aatagctttt tgatgacttc tagcaagcct cgctaacctc gccttacccc ccactattaa 11880
cctactggga gaactctctg tgctagtaac cacgttctcc tgatcaaata tcactctcct 11940
acttacagga ctcaacatac tagtcacagc cctatactcc ctctacatat ttaccacaac 12000
acaatggggc tcactcaccc accacattaa caacataaaa ccctcattca cacgagaaaa 12060
caccctcatg ttcatacacc tatcccccat tctcctccta tccctcaacc ccgacatcat 12120
taccgggttt tcctcttgta aatatagttt aaccaaaaca tcagattgtg aatctgacaa 12180
cagaggctta cgacccctta tttaccgaga aagctcacaa gaactgctaa ctcatgcccc 12240
catgtctaac aacatggctt tctcaacttt taaaggataa cagctatcca ttggtcttag 12300
gccccaaaaa ttttggtgca actccaaata aaagtaataa ccatgcacac tactataacc 12360
accctaaccc tgacttccct aattcccccc atccttacca ccctcgttaa ccctaacaaa 12420
aaaaactcat acccccatta tgtaaaatcc attgtcgcat ccacctttat tatcagtctc 12480
ttccccacaa caatattcat gtgcctagac caagaagtta ttatctcgaa ctgacactga 12540
gccacaaccc aaacaaccca gctctcccta agcttcaaac tagactactt ctccataata 12600
ttcatccctg tagcattgtt cgttacatgg tccatcatag aattctcact gtgatatata 12660
aactcagacc caaacattaa tcagttcttc aaatatctac tcatcttcct aattaccata 12720
ctaatcttag ttaccgctaa caacctattc caactgttca tcggctgaga gggcgtagga 12780
attatatcct tcttgctcat cagttgatga tacgcccgag cagatgccaa cacagcagcc 12840
attcaagcaa tcctatacaa ccgtatcggc gatatcggtt tcatcctcgc cttagcatga 12900
tttatcctac actccaactc atgagaccca caacaaatag cccttctaaa cgctaatcca 12960
agcctcaccc cactactagg cctcctccta gcagcagcag gcaaatcagc ccaattaggt 13020
ctccacccct gactcccctc agccatagaa ggccccaccc cagtctcagc cctactccac 13080
tcaagcacta tagttgtagc aggaatcttc ttactcatcc gcttccaccc cctagcagaa 13140
aatagcccac taatccaaac tctaacacta tgcttaggcg ctatcaccac tctgttcgca 13200
gcagtctgcg cccttacaca aaatgacatc aaaaaaatcg tagccttctc cacttcaagt 13260
caactaggac tcataatagt tacaatcggc atcaaccaac cacacctagc attcctgcac 13320
atctgtaccc acgccttctt caaagccata ctatttatgt gctccgggtc catcatccac 13380
aaccttaaca atgaacaaga tattcgaaaa ataggaggac tactcaaaac catacctctc 13440

acttcaacct ccctcaccat tggcagccta gcattagcag gaataccttt cctcacaggt 13500
ttctactcca aagaccacat catcgaaacc gcaaacatat catacacaaa cgcctgagcc 13560
ctatctatta ctctcatcgc tacctccctg acaagcgcct atagcactcg aataattctt 13620
ctcaccctaa caggtcaacc tcgcttcccc acccttacta acattaacga aaataacccc 13680
accctactaa accccattaa acgcctggca gccggaagcc tattcgcagg atttctcatt 13740
actaacaaca tttcccccgc atccccttc caaacaacaa tccccctcta cctaaaactc 13800
acagccctcg ctgtcacttt cctaggactt ctaacagccc tagacctcaa ctacctaacc 13860
aacaaactta aaataaaatc cccactatgc acattttatt tctccaacat actcggattc 13920
taccctagca tcacacaccg cacaatcccc tatctaggcc ttcttacgag ccaaaacctg 13980
cccctactcc tcctagacct aacctgacta gaaaagctat tacctaaaac aatttcacag 14040
caccaaatct ccacctccat catcacctca acccaaaaag gcataattaa actttacttc 14100
ctctctttct tcttcccact catcctaacc ctactcctaa tcacataacc tattcccccg 14160
agcaatctca attacaatat atacaccaac aaacaatgtt caaccagtaa ctactactaa 14220
tcaacgccca taatcataca aagccccccgc accaatagga tcctcccgaa tcaaccctga 14280
cccctctcct tcataaatta ttcagcttcc tacactatta aagtttacca caaccaccac 14340
cccatcatac tctttcaccc acagcaccaa tcctacctcc atcgctaacc ccactaaaac 14400
actcaccaag acctcaaccc ctgaccccca tgcctcagga tactcctcaa tagccatcgc 14460
tgtagtatat ccaaagacaa ccatcattcc ccctaaataa attaaaaaaa ctattaaacc 14520
catataacct cccccaaaat tcagaataat aacacacccg accacaccgc taacaatcaa 14580
tactaaaccc ccataaatag gagaaggctt agaagaaaac cccacaaacc ccattactaa 14640
acccacactc aacagaaaca aagcatacat cattattctc gcacggacta caaccacgac 14700
caatgatatg aaaaaccatc gttgtatttc aactacaaga acaccaatga ccccaatacg 14760
caaaattaac cccctaataa aattaattaa ccactcattc atcgacctcc ccaccccatc 14820
caacatctcc gcatgatgaa acttcggctc actccttggc gcctgcctga tcctccaaat 14880
caccacagga ctattcctag ccatgcacta ctcaccagac gcctcaaccg ccttttcatc 14940
aatcgcccac atcactcgag acgtaaatta tggctgaatc atccgctacc ttcacgccaa 15000
tggcgcctca atattcttta tctgcctctt cctacacatc gggcgaggcc tatattacgg 15060
atcatttctc tactcagaaa cctgaaacat cggcattatc ctcctgcttg caactatagc 15120
aacagccttc ataggctatg tcctcccgtg aggccaaata tcattctgag gggccacagt 15180
aattacaaac ttactatccg ccatcccata cattgggaca gacctagttc aatgaatctg 15240
aggaggctac tcagtagaca gtcccaccct cacacgattc tttacctttc acttcatctt 15300
gcccttcatt attgcagccc tagcaacact ccacctccta ttcttgcacg aaacgggatc 15360
aaacaacccc ctaggaatca cctcccattc cgataaaatc accttccacc cttactacac 15420
aatcaaagac gccctcggct tacttctctt ccttctctcc ttaatgacat taacactatt 15480

ctcaccagac ctcctaggcg acccagacaa ttataccta gccaacccct taaacacccc 15540

tccccacatc aagcccgaat gatatttcct attcgcctac acaattctcc gatccgtccc 15600

taacaaacta ggaggcgtcc ttgccctatt actatccatc ctcatcctag caataatccc 15660

catcctccat atatccaaac aacaaagcat aatatttcgc ccactaagcc aatcacttta 15720

ttgactccta gccgcagacc tcctcattct aacctgaatc ggaggacaac cagtaagcta 15780

ccctttttacc atcattggac aagtagcatc cgtactatac ttcacaacaa tcctaatcct 15840

aataccaact atctccctaa ttgaaaacaa aatactcaaa tgggcctgtc cttgtagtat 15900

aaactaatac accagtcttg taaaccggag atgaaaacct ttttccaagg acaaatcaga 15960

gaaaaagtct ttaactccac cattagcacc caaagctaag attctaattt aaactattct 16020

ctgttctttc atggggaagc agatttgggt accacccaag tattgactca cccatcaaca 16080

accgctatgt atttcgtaca ttactgccag ccaccatgaa tattgtacgg taccataaat 16140

acttgaccac ctgtagtaca taaaaaccca atccacatca aaacccctc cccatgctta 16200

caagcaagta cagcaatcaa ccctcaacta tcacacatca actgcaactc caaagccacc 16260

cctcacccac taggatacca acaaacctac ccacccttaa cagtacatag tacataaagc 16320

catttaccgt acatagcaca ttacagtcaa atcccttctc gtccccatgg atgacccccc 16380

tcagataggg gtcccttgac caccatcctc cgtgaaatca atatcccgca caagagtgct 16440

actctcctcg ctccgggccc ataacacttg ggggtagcta aagtgaactg tatccgacat 16500

ctggttccta cttcagggtc ataaagccta aatagcccac acgttccccct taaataagac 16560

atcacgatg 16569

<210> 11
<211> 17
<212> DNA
<213> B19 Virus

<400> 11
tggtctggga tgaaggt 17

<210> 12
<211> 23
<212> DNA
<213> B19 virus

<400> 12
ccattttagg cgggcaaccc acc 23

<210> 13
<211> 21
<212> DNA
<213> B19 virus

<400> 13
tggaagtgta gctgtgcctg g 21

<210> 14
<211> 23

<212> DNA
<213> B19 virus

<400> 14
agaatcattt gtcggaagct cag 23

<210> 15
<211> 20
<212> DNA
<213> B19 virus

<400> 15
acaagcctgg gcaagttagc 20

<210> 16
<211> 21
<212> DNA
<213> B19 virus

<400> 16
acaatgccag tggaaaggag g 21

<210> 17
<211> 23
<212> DNA
<213> B19 virus

<400> 17
ctttaacaca tgaagaccat gca 23

<210> 18
<211> 28
<212> DNA
<213> B19 virus

<400> 18
cctctcaaaa cactagaata tccttacg 28

<210> 19
<211> 27
<212> DNA
<213> B19 virus

<400> 19
cagccatacc accactggga cacagat 27

<210> 20
<211> 23
<212> DNA
<213> B19 virus

<400> 20
aatgccattt ctcatggtca gac 23

<210> 21
<211> 20
<212> DNA
<213> B19 virus

<400> 21
gcaaaacaac accacaggca 20

<210> 22
<211> 22
<212> DNA
<213> Hepatitis B virus

<400> 22
caacctccaa tcactcacca ac 22

<210> 23
<211> 24
<212> DNA
<213> Hepatitis B virus

<400> 23
cctccaattt gtcctggtta tcgc 24

<210> 24
<211> 23
<212> DNA
<213> Hepatitis B virus

<400> 24
gtgtctgcgg cgttttatca tat 23

<210> 25
<211> 23
<212> DNA
<213> Hepatitis B virus

<400> 25
tgtttggctt tcagctatat gga 23

<210> 26
<211> 22
<212> DNA
<213> Hepatitis B virus

<400> 26
aattgtgggt cttttgggct tt 22

<210> 27
<211> 18
<212> DNA
<213> Hepatitis B virus

<400> 27
ttctccgtct gccgttcc 18

<210> 28
<211> 21
<212> DNA
<213> Hepatitis B virus

<400> 28
accagcacca tgcaactttt t 21

<210> 29
<211> 25
<212> DNA

<213> Hepatitis B virus

<400> 29
tttttcacct ctgcctaatc atctc 25

<210> 30
<211> 16
<212> DNA
<213> Hepatitis B virus

<400> 30
tcccactgtt caagcc 16

<210> 31
<211> 21
<212> DNA
<213> Hepatitis B virus

<400> 31
acctcaccat accgcactca g 21

<210> 32
<211> 25
<212> DNA
<213> Hepatitis B virus

<400> 32
gggaattgat gactctagct acctg 25

<210> 33
<211> 22
<212> DNA
<213> Hepatitis B virus

<400> 33
atcctgaatg gcaaactcct tc 22

<210> 34
<211> 20
<212> DNA
<213> Hepatitis B virus

<400> 34
gagaaaccac acgtagcgca 20

<210> 35
<211> 16
<212> DNA
<213> Hepatitis B virus

<400> 35
caccccctcca cacggc 16

<210> 36
<211> 27
<212> DNA
<213> Hepatitis B virus

<400> 36
atctctccac ctctaagaga cagtcat 27

<210> 37
<211> 22
<212> DNA
<213> Porcine parvovirus

<400> 37
cctcacaaaa cggcaagtac tg 22

<210> 38
<211> 36
<212> DNA
<213> Porcine parvovirus

<400> 38
acctaagtcc aagtgactgc tactggttca tacagc 36

<210> 39
<211> 29
<212> DNA
<213> Porcine parvovirus

<400> 39
gttaataatg caatgcaaag tacctctaa 29

<210> 40
<211> 25
<212> DNA
<213> Porcine parvovirus

<400> 40
aaagacaact gaaagagagc atgga 25

<210> 41
<211> 30
<212> DNA
<213> Porcine parvovirus

<400> 41
tctcagctca gattctggct tcatgacaaa 30

<210> 42
<211> 22
<212> DNA
<213> Porcine parvovirus

<400> 42
caattctatt tcatgggcca gc 22

<210> 43
<211> 17
<212> DNA
<213> Porcine parvovirus

<400> 43
cgtggagcga gccaaca 17

<210> 44
<211> 28
<212> DNA
<213> Porcine parvovirus

<400> 44
ctgcacttaa ctccaacacc gccagatt 28

<210> 45
<211> 24
<212> DNA
<213> Porcine parvovirus

<400> 45
gcaatacgga caccaagtcc aact 24

<210> 46
<211> 23
<212> DNA
<213> Porcine parvovirus

<400> 46
gaggtaagaa gatcgccgag aaa 23

<210> 47
<211> 28
<212> DNA
<213> Porcine parvovirus

<400> 47
aacctcacca ccaaccaaaa tatataat 28

<210> 48
<211> 29
<212> DNA
<213> Porcine parvovirus

<400> 48
actactaact gaacctacca cagaaggag 29

<210> 49
<211> 26
<212> DNA
<213> Porcine parvovirus

<400> 49
cttttacctt cagatccaat aggagg 26

<210> 50
<211> 18
<212> DNA
<213> Sindbis virus

<400> 50
gcgtgcggac cctgtact 18

<210> 51
<211> 25
<212> DNA
<213> Sindbis virus

<400> 51
attggcttcg acaccaccca gttca 25

<210> 52
<211> 20
<212> DNA
<213> Sindbis virus

<400> 52
ttctcggcta tggcaggttc 20

<210> 53
<211> 25
<212> DNA
<213> Sindbis virus

<400> 53
gtttatttct ccgtaggatc gacac 25

<210> 54
<211> 20
<212> DNA
<213> Sindbis virus

<400> 54
aaaactgctg caggtctcgg 20

<210> 55
<211> 22
<212> DNA
<213> Sindbis virus

<400> 55
gaaatcgata ttacaggggc ca 22

<210> 56
<211> 21
<212> DNA
<213> Sindbis virus

<400> 56
gcattaagtt tttcggcatg g 21

<210> 57
<211> 18
<212> DNA
<213> Sindbis virus

<400> 57
cgattggcat agccggtg 18

<210> 58
<211> 21
<212> DNA
<213> West Nile virus

<400> 58
tcagcgatct ctccaccaaa g 21

<210> 59
<211> 22
<212> DNA
<213> West Nile virus

<400> 59
tgcccgacca tgggggaagc cc 22

<210> 60
<211> 21
<212> DNA
<213> West Nile virus

<400> 60
caatgacaaa cgtgctgacc c 21

<210> 61
<211> 20
<212> DNA
<213> West Nile virus

<400> 61
gctagtcctg gtgtttgggg 20

<210> 62
<211> 24
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 62
agagtttgat catggctcag attg 24

<210> 63
<211> 24
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 63
ctggcggcag gcctaacaca tgca 24

<210> 64
<211> 21
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 64
aataccgcat aacgtcgcaa g 21

<210> 65
<211> 20
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 65
gatgcaacgc gaagaacctt 20

<210> 66
<211> 23
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 66
gactggggtg aagtcgtaac aag 23

<210> 67

<211> 24
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 67
gtaacaaggt aaccgtaggg gaac 24

<210> 68
<211> 19
<212> DNA
<213> Escherichia coli 16S Ribosomal RNA

<400> 68
gcggttggat cacctcctt 19

<210> 69
<211> 22
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 69
ccgatagtga accagtaccg tg 22

<210> 70
<211> 25
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 70
atgttgaaaa attagcggat gactt 25

<210> 71
<211> 18
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 71
gcactgtttc ggcaaggg 18

<210> 72
<211> 18
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 72
gccggaagac caagggtt 18

<210> 73
<211> 24
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 73
ggccgtaact ataacggtcc taag 24

<210> 74
<211> 26
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 74

gataagtgct gaaagcatct aagcac 26

<210> 75
<211> 25
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 75
ctgccagtag tcatatgctt gtctc 25

<210> 76
<211> 36
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 76
tacagtgaaa ctgcgaatgg ctcattaaat cagtta 36

<210> 77
<211> 27
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 77
taatacatgc ttaaaatctc gaccctt 27

<210> 78
<211> 24
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 78
gtcttcggac tctttgatga ttca 24

<210> 79
<211> 17
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 79
gcagccgcgg taattcc 17

<210> 80
<211> 24
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 80
gctgaaactt aaaggaattg acgg 24

<210> 81
<211> 23
<212> DNA
<213> Yeast (S. cerevisiae)

<400> 81
tggaagtttg aggcaataac agg 23

<210> 82
<211> 19

<212> DNA
<213> Yeast (S. cerevisiae)

<400> 82
tgaacctgcg gaaggatca 19

<210> 83
<211> 24
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 83
aagcatatca ataagcggag gaaa 24

<210> 84
<211> 20
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 84
ctctggtgga ggctcgtagc 20

<210> 85
<211> 18
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 85
aatggatggc gctcaagc 18

<210> 86
<211> 25
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 86
tgaaaatcca caggaaggaa tagtt 25

<210> 87
<211> 21
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 87
ctaagggtcg ggtagtgagg g 21

<210> 88
<211> 20
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 88
agaaattcaa ccaagcgcga 20

<210> 89
<211> 19
<212> DNA
<213> Yeast 25S Ribosomal RNA

<400> 89
atgtcatttt gcgtgggga 19

<210> 90
<211> 23
<212> DNA
<213> Human mitochondrial DNA

<400> 90
gttcaccctc taaatcacca cga 23

<210> 91
<211> 23
<212> DNA
<213> Human mitochondrial DNA

<400> 91
caagcacgca gcaatgcagc tca 23

<210> 92
<211> 26
<212> DNA
<213> Human mitochondrial DNA

<400> 92
ggaaacagca gtgattaacc tttagc 26

<210> 93
<211> 28
<212> DNA
<213> Human mitochondrial DNA

<400> 93
gactacgaaa gtggctttaa catatctg 28

<210> 94
<211> 24
<212> DNA
<213> Human mitochondrial DNA

<400> 94
tagagtgctt agttgaacag ggcc 24

<210> 95
<211> 24
<212> DNA
<213> Human mitochondrial DNA

<400> 95
taggcgatag aaattgaaac ctgg 24

<210> 96
<211> 21
<212> DNA
<213> Human mitochondrial DNA

<400> 96
tttgttaaga tggcagagcc c 21

<210> 97
<211> 20
<212> DNA

<213> Human mitochondrial DNA

<400> 97
agaatcgaac ccatccctga 20

<210> 98
<211> 19
<212> DNA
<213> Human mitochondrial DNA

<400> 98
tttcaccgta ggtggcctg 19

<210> 99
<211> 20
<212> DNA
<213> Human mitochondrial DNA

<400> 99
aatcgctgtc gccttaatcc 20

<210> 100
<211> 19
<212> DNA
<213> Escherichia coli 23S Ribosomal RNA

<400> 100
tcctacggga ggcagcagt 19

<210> 101
<211> 23
<212> DNA
<213> Eschericia coli 23S Ribosomal RNA

<400> 101
cgtattaccg cggctgctgg cac 23